






MANHOLE SCHEDULE

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
Coordinates	Depth To Soffit		Code	Inverts	Diams		Manhole	Cover	
S1	72.000 1.627		1 LATERAL	70.223	150	1200	HYDROBRAKE – SEE DRG NO. 20652_02_080_04 FOR FURTHER DETAILS		
E. 432938.292 N. 297562.688			2 LATERAL	70.273	100				
			0	1.000	70.073	300			
S2	71.010 0.702		1	1.000	70.008	300	1350	FIG.B14 TYPE C	B125
E. 432931.125 N. 297544.601			0	1.001	70.008	300			
S3	71.032 0.741		1	1.001	69.991	300	1350	FIG.B14 TYPE C	B125
E. 432929.236 N. 297539.928			0	1.002	69.991	300			
S4			1	1.002	69.680	300	HEADWALL – SEE DRG NO. 20652_02_080_05 FOR FURTHER DETAILS		
E. 432881.860 N. 297459.583									
F1	71.300 2.084		1 LATERAL	69.116	100	1200	FIG.B10 TYPE B	B125	
E. 432914.928 N. 297587.081			0	2.000	69.066				150
F2	71.306 2.180		1	2.000	68.976	150	1200	FIG.B10 TYPE B	D400
E. 432914.640 N. 297590.917			0	2.001	68.976	150			

THIS DRAWING IS FOR INFORMATION/ APPROVAL AND SUBJECT TO AMENDMENT. NO RELIANCE SHOULD BE TAKEN UNTIL THE DRAWING STATUS IS CHANGED TO 'FOR CONSTRUCTION'.

NOTES:

- ALL DIMENSIONS ARE IN MILLIMETRES UNLESS STATED OTHERWISE.
- SULPHATE RESISTING CEMENT PRODUCTS TO BE USED THROUGHOUT FOR DRAINAGE WORKS.
- THE FRAMES TO GULLY POTS SHALL BE BEDDED ON A FULL MORTAR BED OF 1:3 CEMENT/SAND MORTAR. THEY SHALL BE ACCURATELY SET FOR THE LEVEL AND POSITIONED ON AT LEAST 1 COURSE OF ENGINEERING BRICKS, SO THAT THE TOP OF THE FRAME WILL NORMALLY BE SET BELOW THE FINISHED CHANNEL LEVEL. THE ALLOWABLE TOLERANCE SHALL BE 0 TO -5mm.
- ALL WORKS TO BE UNDERTAKEN SHALL BE IN ACCORDANCE WITH THE LEICESTERSHIRE HIGHWAYS DESIGN GUIDE, LCC STANDARD DRAWINGS/ SPECIFICATIONS AND TO THE SATISFACTORY OF THE LCC HIGHWAYS INSPECTOR.

B	UPDATED FOLLOWING DRAINAGE UPDATES	MW	DMH	AW	06.12.24
A	UPDATED AS PER DRAINAGE AMENDMENTS	MW	NB	AW	09.08.24
-	FIRST ISSUE	MW	DMH	AW	01.08.24
REV:	AMENDMENTS:	DRN	CHK	APP:	DATE:
PROJECT: CHAPEL LANE WITHERLY					
DRAWING TITLE: MANHOLE SCHEDULE					
CLIENT: A.R. CARTWRIGHT CONSTRUCTION LTD					
DRAWING NUMBER: 20652_02_070_01					
REVISION: B	SHEET SIZE: A3		SCALE: NTS		
STATUS: FOR INFORMATION / APPROVAL					
 Consulting Development Engineers		Telephone: 01530 264 753 Email: group@m-ec.co.uk Website: www.m-ec.co.uk ORDNANCE SURVEY © CROWN COPYRIGHT 2015. ALL RIGHTS RESERVED. LICENCE NUMBER 100055865.			

File Location: R:\20652\Drawings\02_mans - Infrastructure\20652_02_070_01b_manhole schedule.dwg
Printed: 10.12.2024