
From: William Kelly <William.Kelly@leics.gov.uk>
Sent: 23 January 2025 11:43
To: Tim Hartley
Cc: Planning Folder New
Subject: Archaeological Comments for 24/00560/HYB | Land Off Station Road Market Bosworth
Attachments: 10009 – Market Bosworth Trial Trenching Summary - Reduced.pdf

Hi Tim,

24/00560/HYB | Hybrid planning application seeking full planning permission for residential development of 138 dwellinghouses along with landscaping, public open space, drainage infrastructure and new access following demolition of two existing dwellinghouses; and outline planning permission (all matters reserved except for point of access) for 0.55ha of employment uses (Classes E (g) (i, ii and iii), B2 and B8) | Land Off Station Road Market Bosworth

Archaeological Comments

We recently monitored the trial trenching evaluation undertaken at the above site, which followed on from an earlier geophysical survey.

Please see attached the summary of the results produced by the contractor undertaking the work (York Archaeology), provided by the applicant's archaeological consultant. As noted within the attached document all features identified are related to recent agricultural activities, with no other features or deposits of archaeological significance encountered. Many of the linear features recorded can be identified on 19th and 20th century Ordnance Survey mapping.

The archaeological consultant has indicated that the final report is unlikely to be available for review prior to the determination deadline and has requested that we provide our recommendation on the basis of the currently available information. Whilst we would highlight that this is not an approach we would take as standard, given the circumstances of the planning timeframe, having monitored the evaluation and reviewed the information provided by the attached summary document, we are satisfied on this occasion that our formal comments can be provided prior to completion of the final report.

We have received assurances from the archaeological consultant that the post-excavation provisions outlined within the Written Scheme of Investigation (WSI) for the evaluation will be undertaken (OASIS reporting with the Archaeological Data Service and deposition of the archive in accordance with professional standards). Given the results of the investigation and the nature of the resulting material we do not have any particular concerns that the post-excavation requirements will not be met.

We are therefore satisfied in recommending that no additional archaeological involvement will be required for the site.

I hope this approach is satisfactory to the LPA, if you have any concerns or queries please do feel free to let me know.

Best wishes,

Will

William Kelly | Senior Planning Archaeologist (Heritage)| Historic & Natural Environment Team | Planning, Historic & Natural Environment Department | Room 200, County Hall | Glenfield | Leicestershire | LE3 8RA

☎ 0116 305 0039 | 📞 07871 733 637 | ✉ William.Kelly@leics.gov.uk

Leicestershire County Council values are:



Positivity



Trust and
Respect



Flexibility



Openness and
Transparency

This e-mail and any files transmitted with it are confidential. If you are not the intended recipient, any reading, printing, storage, disclosure, copying or any other action taken in respect of this e-mail is prohibited and may be unlawful. If you are not the intended recipient, please notify the sender immediately by using the reply function and then permanently delete what you have received. Incoming and outgoing e-mail messages are routinely monitored for compliance with Leicestershire County Council's policy on the use of electronic communications. The contents of e-mails may have to be disclosed for requests under Data Protection or Freedom of Information legislation. Details about how we handle information can be found at <https://www.leicestershire.gov.uk/data-protection>

The views expressed by the author may not necessarily reflect the views or policies of the Leicestershire County Council.

Attachments to e-mail messages may contain viruses that may damage your system. Whilst Leicestershire County Council has taken every reasonable precaution to minimise this risk, we cannot accept any liability for any damage which you sustain as a result of these factors. You are advised to carry out your own virus checks before opening any attachment.

Land south of Station Road, Market Bosworth
Summary of Results of Archaeological Evaluation



York Archaeology – Nottingham Office
Unit 1 Holly Lane, Chilwell, Nottingham NG9 4AB
+44 (0)115 896 7400 | yaenquiries@yorkat.co.uk | www.yorkarchaeology.co.uk

KEY DOCUMENT INFORMATION

Project name: Land south of Station Road, Market Bosworth

Type of project: Evaluation

YA archaeological code | financial code: 10009 | 10009

National Grid Reference: SK 39677 02838

Planning Reference: 24/00560/HYB

Client: RPS on behalf of Miller Homes

Report version no. and status: Interim Statement

Author: Philippa Puzey-Broomhead with contributions by Paul Renner, Carina Summerfield-Hill and Grant Gardner

Report edited and issued by | date: Philippa Puzey-Broomhead | 20/12/24

Copyright

York Archaeological Trust for Excavation and Research Limited (trading as York Archaeology) asserts the right to be identified as the author of this report and all the content within it (Report), as specified in the Copyright, Designs and Patents Act 1988 (chapter IV).

York Archaeology gives permission for this Report to be used in perpetuity by the archives/repository with which it is deposited. This permission allows the archives/repository to reproduce the Report, including for use by third parties for any purpose relating to the titled project or named part thereof referred to in the Report, subject to York Archaeology being suitably identified as the author of the Report and copyright owner by ensuring the following appears within each copy of the Report unless otherwise specified by York Archaeology in writing:

© Copyright York Archaeology 2024

Disclaimer

This report and all content within it (Report) has been prepared solely for the commissioning person or organisation specifically for the purpose of the titled project or named part thereof referred to in the Report. York Archaeological Trust for Excavation and Research Limited (trading as York Archaeology) accepts no responsibility or liability for use of the Report by anyone, or for any purpose, other than that for which it was prepared and/or provided. Any other person wishing to rely on the Report in a different way should obtain written agreement for that use from York Archaeology.

York Archaeology

York Archaeology operates from offices in Glasgow, York, Sheffield and Nottingham, and is a trading name of

© York Archaeological Trust for Excavation and Research Limited. Registered Office: 47 Aldwark, York YO1 7BX. A Company Limited by Guarantee. Registered in England No. 1430801. A Registered Charity in England & Wales (No. 09060) and Scotland (No. SCO42846).

York Archaeology is a Registered Organisation with the Chartered Institute for Archaeologists (CIfA), an audited status which ensures that all work is carried out in accordance with Industry good practice.



Market Bosworth Evaluation Summary

Archaeological evaluation works undertaken at land south of Station Road, Market Bosworth consisted of the excavation of 38 1.8x30m trial trenches across two fields. This document briefly summarises the results of this evaluation. A full report on the works is in production and will be issued in early 2025.

All features identified related to recent agricultural activities; no other features or deposits of archaeological significance were encountered.

Following usage established by the geophysical survey report (Magnitude Surveys, 2024) the western of the two fields investigated is hereafter referred to as Area 1 and the eastern as Area 2.

Area 1

24 trenches were excavated. Trenches were excavated to a firm sandy clay, varying in colour from yellow-brown to orange across the area, representing the natural geology of the site. This was encountered between 0.35 and 0.82m below ground level.

Trenches 8-13 and trenches 19-20, 22 and 24 were placed to investigate weak geophysical anomalies likely to relate to former ploughing regimes. Furrows were identified in trenches 8, 9, and 22, and a recent land-drainage feature was noted in trench 20. An apparent linear feature was identified in trench 19, which on investigation was considered to be geological. No features relating to the weak geophysical anomalies were identified in trenches 10, 11, 12, 13 and 24.

Trenches 11 and 12, along with trenches 15 and 23, were placed to investigate a strong geophysical anomaly probably relating to a former field boundary. Features corresponding to this anomaly were observed in all four trenches: a linear feature containing ceramic building material and early-nineteenth-century transfer ware was identified in trench 11; a continuation of this feature was seen in trenches 15 and 23. A feature in trench 12, containing modern ferrous material and interpreted as a pit, is likely to also relate to this anomaly, as are post-holes excavated in trench 15. The pre-evaluation interpretation of this anomaly as a former field boundary is corroborated by these results.

Trenches 9 and 18 were placed to investigate an area of weakly enhanced discrete geophysical anomalies interpreted as a spread of colluvium. A furrow and an area of probable tree-disturbance were noted in trench 9; no features or deposits were identified in trench 18.

Features of recent agricultural origin comprising furrows and field drains were present in trenches 1, 2, 4, 6, 7, 12, 14, and 17. No other features or deposits of archaeological interest were observed.

The results for each trench are summarised in Table 1 below.

Area 2

14 trenches were excavated; trenches 33, 34 and 35 were moved approximately 5m to the east to avoid an area of standing water. Trenches were excavated to a firm mid-brownish yellow silty clay, which was encountered between 0.3 and 0.59m below ground level.

Trench 26 was placed to investigate two weak geophysical anomalies of undetermined origin. Nothing relating to these was observed in this trench.

Trenches 25, 27, 29 and 31 were placed to investigate a strong geophysical anomaly of undetermined origin. This was visible in all four trenches as a distinct large, dark linear feature cutting the topsoil. Where investigated this proved to contain modern tarmac aggregate; it is likely to be of very recent origin.

Trench 32 was placed to investigate weak geophysical anomalies considered likely to relate to former ploughing regimes. Nothing relating to these was observed in this trench.

Trenches 35 to 37 were placed to investigate a strong geophysical anomaly probably relating to a former field boundary. Linear features corresponding to this anomaly were observed in all four trenches. Pottery recovered from this feature in trench 35 is of early-mid C19th date. The pre-evaluation interpretation of this anomaly as a former field boundary is corroborated by these results.

Field drains were noted in trenches 25 and 28. No other features or deposits of archaeological interest were observed.

The results for each trench are summarised in Table 2 below.

Material Recovered

Material recovered consisted of iron fragments of agricultural origin, including a horse shoe; ceramic building material of probable C19th or C20th origin; fragments of fine earthenware of probable early C19th origin; and vessel glass of probable C19th or C20th origin. Fragments of stone slabs were noted in trenches 4 and 37 but were not recovered. Processing and assessment of recovered material is anticipated to take place in early 2025 and the results of this will be incorporated into the full report.

Trench Number	Findings
1	Furrows
2	Possible furrows
3	No archaeological features or deposits identified.
4	Drainage feature

5	No archaeological features or deposits identified.
6	Drainage feature
7	Drainage feature
8	Furrows
9	Furrow and tree disturbance
10	No archaeological features or deposits identified.
11	Field boundary
12	Field boundary and drainage feature
13	Possible drainage feature
14	Furrows
15	Field boundary
16	No archaeological features or deposits identified.
17	Drainage feature
18	No archaeological features or deposits identified.
19	No archaeological features or deposits identified.
20	Drainage feature
21	No archaeological features or deposits identified.
22	Furrows
23	Field boundary
24	No archaeological features or deposits identified.

Table 1: trenches in Area 1

Trench Number	Findings
25	Very recent linear feature and drainage feature
26	No archaeological features or deposits identified.

27	Very recent linear feature
28	Drainage feature
29	Very recent linear feature
30	No archaeological features or deposits identified.
31	Very recent linear feature
32	No archaeological features or deposits identified.
33	No archaeological features or deposits identified.
34	Field boundary
35	Field boundary
36	Field boundary
37	Field boundary
38	No archaeological features or deposits identified.

Table 2: trenches in Area 2

References:

Magnitude Surveys. 2024. *Geophysical Survey Report of Station Road, Market Bosworth,*

Leicestershire. Magnitude Surveys Unpublished Report. Magnitude Surveys Reference: MSSK1662

Plates:

Trench 1:



Trench 2:



Trench 3:



Trench 4:



Trench 5:



Trench 6:





Trench 7:



Trench 8:



Trench 9:





Trench 10:



Trench 11:



Trench 12:





Trench 13:



Trench 14:



Trench 15:








Trench 16:



Trench 17:



Trench 18:



Trench 19:





Trench 20:





Trench 21:



Trench 22:



Trench 23:



Trench 24:



Trench 25:



Trench 26:



Trench 27:



Trench 28:



Trench 29:



Trench 30:



Trench 31:





Trench 32:



Trench 33:



Trench 34:





Trench 35:





Trench 36:



Trench 37:



Trench 38:



Figure:

Please note: apparent features in archaeologically blank features represent soil characteristics noted on initial excavation which proved not to be archaeological in nature upon further investigation.

FIGURES






Figure 01 - Location Map
10009 - Market Bosworth Evaluation



KEY

- Site Boundary
- Arch. Trench
- Blank Trench
- Modern
- Phase 00: Post-med/Furrows
- Phase 00: Undated



Illustrator: Glyn Davies



Figure 02 - Site Plan
10009 - Market Bosworth Evaluation