

From: public.access@hinckley-bosworth.gov.uk <public.access@hinckley-bosworth.gov.uk>
Sent: 06 August 2026 16:18:23 UTC+01:00
To: "PF - Planning" <planningapplications@hinckley-bosworth.gov.uk>
Subject: Consultee Comments for Planning Application 26/00113/REM

Consultee comments

Dear Sir/Madam,

A consultee has commented on a Planning Application. A summary of the comments is provided below.

Comments were submitted at 06/08/2026 4:18 PM from Mr Giles Rawdon (giles.rawdon@hinckley-bosworth.gov.uk) on behalf of HBBC ES Pollution 2.

Application Summary

Reference:	26/00113/REM
Address:	Land West Of Workhouse Lane Burbage Leicestershire
Proposal:	Application for the approval of Reserved matters (Layout, Scale, Appearance, Landscaping) of outline planning permission 20/01012/OUT for residential development of up to 40 dwellings
Case Officer:	Alex Jelley

[Click for further information](#)

Comments Details

My comments submitted 16.02.26 stand:
I understand that conditions 6 (contaminated land) and 13 (noise mitigation) of planning permission 20/01012/OUT / Appeal Ref: APP/K2420/W/22/3311038 have yet to be discharged and this may alter some aspects of the development. The conditions should be discharged or information submitted to show that the proposed site layout/design is suitable.

Comments: Condition 6:
No development approved by this permission shall be commenced until a scheme for the investigation of any potential land contamination on the site has been submitted to and approved in writing by the local planning authority. The scheme shall include details of how any ground contamination shall be dealt with. The approved scheme shall be implemented in accordance with the approved details and any remediation works so approved shall be carried out prior to the development hereby permitted first being

occupied.

Condition 13:

No development approved by this permission shall be commenced until details of noise mitigation to be incorporated as part of the development as well as a timetable for the provision of mitigation measures has been submitted to and approved in writing by the local planning authority. The approved measures shall be provided in accordance with the approved timetable and thereafter they shall be retained.

Kind regards

This email and any files sent with it are confidential. If this email isn't intended for you, please notify the sender immediately and then permanently delete it. You must not read, print, store, disclose, copy or take any other action in respect of this email. We routinely monitor incoming and outgoing email messages to ensure they comply with Hinckley & Bosworth Borough Council's policy on the use of electronic communications. The contents of emails may have to be disclosed to a request under the Data Protection Act 2018, Freedom of Information Act 2000 and/or the Environmental Information Regulations 2004. The views expressed by the author may not necessarily reflect the views or policies of Hinckley & Bosworth Borough Council. Attachments to email messages may contain viruses that may damage your system. Whilst Hinckley & Bosworth Borough Council has taken every reasonable precaution to minimise this risk, we cannot accept any liability for any damage you suffer as a result. You are advised to carry out your own virus checks before opening any attachment. Save paper - only print this email if necessary. Visit us online: www.hinckley-bosworth.gov.uk Main office: Hinckley Hub, Rugby Road, Hinckley, Leics LE10 0FR