

**Preliminary Bat Roost Assessment and Bird
Survey for,
Mr. D. Haydon.
Building at,
Thornfield,
Atterton Lane,
Atteron,
CV13 6JU.**

**Map Ref SP 3513 9826
29th September 2025.**

**S. Christopher Smith MRICS MSc CEnv.
The Hayloft,
Farm Lane,
Grendon,
ATHERSTONE,
Warwickshire.
CV9 3DR**

**Telephone 01827 794485
Mobile 07967 636115**

Natural England License Number 2016-23395-CLS-CLS

Natural England Bat Mitigation Class License

Registered Consultant RC133

E mail; chris@bat-survey.co.uk

©Tamworth Property Services.



Contents.

Summary	Page 2.
Introduction.	Page 3.
Legislation concerning bats.	Page 3.
Legislation concerning birds.	Page 4.
Methodology for bats.	Page 4.
Bat records and habitats.	Page 5.
Constraints.	Page 8.
Building survey.	Page 9.
Birds.	Page 15.
Bat droppings.	Page 15.
Conclusion.	Page 18.
Impacts on bats.	Page 19.
Enhancements for bats.	Page 19.
Method of working.	Page 20.
Bibliography.	Page 23.
Appendix 1.	Page 24.


Summary.

- There is bat droppings evidence of Brown long eared bats using the buildings as a place of shelter.
- Brown long eared bats are using the roof space of the dwelling as a place of shelter. This is a Day roost.
- There is bat droppings evidence of Common pipistrelle bats using the eastern gable as a place of shelter. This is a Day roost.
- There was no evidence of birds nesting in the building.
- There are no other roosting opportunities in the property.
- The extension of the building by a single storey flat roofed rear extension will have no impact on the bats roosting in the roof space or in the eastern gable.
- The extension of the building, if approved by the Local Authority must not occur if birds are nesting in the building until the young have fledged.
- A new bat roosting opportunity can be created by installing a bat box on a tree on the site dwelling to meet the requirements of the National Planning Policy Framework (2023).
- A method of working must be put in place with contractors to ensure that in the event of bats being found they will not be injured.

Introduction.

An inspection and building survey for bats was requested by Bailey Design Limited on behalf of Mr. D. Haydon. The survey was to be undertaken in relation to the submission of a planning application to Hinckley and Bosworth Borough Council to extend the existing dwelling. The property was visited on the 2nd September 2025 and the surveyor spent 1.25 hour on site.

Temperature; 13°C Wind; 0-1 Beaufort Scale Cloud Cover; 8/8th.



Legislation concerning bats.

The Wildlife and Countryside Act 1981 (WCA) protects bats and their roosts in England, Scotland and Wales. Some parts have been amended by the Countryside and Rights of Way Act 2000 (CRoW) which applies only in England and Wales, and by the Nature Conservation (Scotland) Act 2004 which applies in Scotland.

The Conservation and Habitats Regulations 2010 (better known as the Habitats Regulations) implements the Council Directive on the Conservation of Natural Habitats and of Wild Fauna and Flora. All bats are listed as 'European protected species of animals'

Under Regulation 41 of the Conservation of Habitats and Species Regulations 2010 it is illegal to:

- Deliberately capture, injure or kill any wild animal of a European Protected Species (EPS),
- Deliberately disturb wild animals of an EPS (affecting ability to survive, breed or rear young) – disturbance of animals includes in particular any disturbance which is likely to impair their ability to survive, to breed or reproduce, or to rear or nurture their young,
- Deliberately disturb wild animals of an EPS (impairing ability to migrate or hibernate) – disturbance of animals includes in particular any disturbance which is likely to impair their ability in the case of hibernating or migratory species to hibernate or migrate,
- Deliberately disturb wild animals of an EPS (affecting local distribution and abundance) – disturbance of animals includes in particular any disturbance which is likely to affect significantly the local distribution or abundance of the species to which they belong,
- Deliberately disturb wild animals of an EPS (whilst occupying a structure or place used for shelter or protection) – intentionally or recklessly disturb any wild animal while it is occupying a structure or place which it uses for shelter or protection,
- Damage or destroy a breeding site or resting place of a wild animal an EPS.

Under the Wildlife and Countryside Act 1981 (as amended) it is illegal to:

- Recklessly or intentionally kill, injures or take any wild animals included in Schedule 5.
- Recklessly or intentionally damage or destroy, or obstruct access to any structure or place which any wild animal included in Schedule 5 uses for shelter or protection,
- Recklessly or intentionally disturb any such animal while it is occupying a structure or place which it uses for shelter or protection.

<https://www.theguardian.com/business/2020/11/housebuilder-fined-600000-destroying-bat-roost-south-london-bellway>

Legislation concerning birds.

All common wild birds are protected under The Wildlife and Countryside Act 1981 (and as amended). Under this legislation it is an offence to:

- kill, injure or take any wild bird
- take, damage or destroy the nest of any wild bird while it is in use or being built
- take or destroy the egg of any wild bird

Certain rare breeding birds are listed on Schedule 1 of The Wildlife and Countryside Act 1981 (and as amended). Under this legislation they are afforded the same protection as common wild birds and are also protected against disturbance whilst building a nest or on or near a nest containing eggs/unfledged young.

Methodology for bats.

The building surveys have been undertaken in accordance with Bat Surveys for Professional Ecologists- Good Practice Guidelines, 2023, the Bat Conservation Trust. Surveys of the buildings

were undertaken during the daytime to look for evidence of bats using the buildings, or likely roosting sites. The evidence of bats using a building as a place of shelter can include bat droppings, grease marks, urine stains or actual bats. This evidence is then considered when planning evening emergence counts and activity surveys, using bat detectors. These surveys provide evidence of where bats are roosting and activity across the site by foraging or commuting bats.

The Bat Surveys for Professional Ecologists- Good Practice Guidelines, 2023, specify that emergence surveys are undertaken dependent upon the roost potential of the buildings on the survey site, as set out below;

Roost potential.	Number of surveys.
High.	3
Low to moderate.	2
Low.	1

The surveys are started at sunset, with bats emerging from roosts at different times, dependent upon the species, and continued for two hours. Emergence surveys can only be undertaken from the beginning of April to the end of September when bats are active. The optimum period of undertaking surveys is the beginning of May to the end of August. Their emergence is dependent upon the weather, the bats only leaving their roost on warm nights when there will be sufficient insect prey around to make flight worthwhile. While bats will emerge in light rain and moderate winds, the surveys would not be undertaken when there is heavy rain and/or strong winds as this would not provide reliable data upon which to base the conclusions of the surveys. Mild weather in April and September will produce bat activity, particularly providing information on forage areas, commuting routes and pre-maternity group roosting.

Any trees on site are surveyed following the methodology set out in the Bat Tree Habitat Key, Henry L Andrews et al 2022, which produces a key for identifying Potential Roost Features in trees and their likelihood of being used by bats. Trees on any site being surveyed will have Potential Roost Features identified from ground level surveys and highlighted in the report.


Bat records and habitats.

A search of public records has revealed the presence of the following bats within 2km of the site;


Myotis daubentonii.
Myotis mystacinus.
Nyctalus noctula.
Pipistrellus pipistrellus.
Pipistrellus pygmaeus.
Plecotus auritus.

A search of the DEFRA MAGIC Dataset shows that there is an area of Deciduous woodland habitats to the northeast the site which of a special nature conservation status or significance. There is agricultural land surrounding the site with small areas of deciduous woodland. The small areas of deciduous woodland on the Priority Habitat Inventory in the agricultural

landscape will provide forage opportunities for bats and there is moderate connectivity between the woodlands along the hedgerows..




A search of the DEFRA MAGIC Dataset shows that the site does not fall into any buffer zones around the Deciduous Woodland to the northeast of the site where there is support for Willow Tits. There are no other biodiversity enhancement areas adjacent to the site.



A search of the DEFRA MAGIC Dataset shows that there have been a number of European Protected Species licenses granted locally. None of the sites is adjacent to the property being surveyed. Those highlighted yellow are within 300m of the survey site.

Species.	Destruction of or damage to a breeding site for bats.	Destruction of or damage to a resting place for bats.
Brown long eared bats	No	Yes
Soprano pipistrelle bats.	No	Yes
Common pipistrelle bats.	No	Yes
Brown long eared, Common pipistrelle bats.	Yes	Yes
Common pipistrelle, Brown long eared bats.	No	Yes




Constraints.

The building survey was undertaken in the summer when evidence of bats internally can still be seen but external evidence may be unavailable after heavy rain. There had been light on the day of the survey. The surveyor does not believe that the weather masked any evidence or access points for bats. There were no constraints to the surveyor for access in the building survey for bats.

Building Survey.

The buildings to be surveyed consisted of a single storey rendered cavity brick dwelling with an interlocking plain tile pitched roof.





The results of the building survey are presented as the likelihood of bats using an area/feature;

- None.** Bats are unlikely to use the feature/area in any way.
- Low.** Bats may use the feature/area but it is not thought to be likely.
- Moderate.** The feature/area provides an area that may be used by bats and no direct evidence of occupation was found.
- High.** The feature/area provides an area or feature that may provide very good potential to be used by bats but no direct evidence of occupation was found
- Definite.** Clear evidence of the use of a feature/area as a place of shelter, such as droppings.

These are based on the Bat Survey Guidelines (2023) recommended scale of assessment for potential bat roosting.

Feature.	Bat roosting opportunities.	Photograph.
Against the ridge board	Definite. There is access to the roof space for bats and there was Brown long eared bat droppings evidence in the roof space.	
In splits in the timber.	None. Machine cut timber with no splits.	
Between the end rafter and the gable brickwork.	Moderate. There is access to the roof space for bats and there are a number of places where there is a gap between the end rafter and the blockwork wall that could provide a place of shelter for bats.	

		
Feature.	Bat roosting opportunities.	Photograph.
Under ridge tiles.	None. There is no access for bats under the ridge tiles which have a dry ridge system.	
Feature.	Bat roosting opportunities.	Photograph.
Under interlocking plain tiles.	None. There is no access for bats.	

		
Feature.	Bat roosting opportunities.	Photograph.
Under uPVC fascia boards and soffits at eaves.	None. There is no access for bats.	
Under uPVC barge boards and soffits at gables.	Moderate on eastern gable. None on all other gables. There is no access for bats except on the eastern gable where the main roof meets the small extension roof. There is a gap where the soffit oversails the lead flashing. Bat droppings were found on the internal blockwork of this gable wall..	  

In verge.	Low. There is a potential access for bats on two elevations where the mortar has come loose.	  
Feature.	Bat roosting opportunities.	Photograph.
Under lead flashings.	None. There is no access for bats.	

		
Feature.	Bat roosting opportunities.	Photograph.

Birds.

There was no evidence of birds nesting in the dwelling and there are no opportunities for birds to nest in the building.

Bat droppings.

Bat droppings were sent for DNA testing.

Two bat droppings were taken from beneath the ridge board and one bat dropping was taken from the eastern gable beneath the area where the bats are thought to be using the barge board soffit and the lead flashing as an access point.

Sample 1 from the gable wall blockwork has been confirmed as being from a Common pipistrelle that would have used the cavity wall of the space between the bitumous felt and the top of the blockwork as a place of shelter.

Samples 2 and 3 from beneath the ridge board have been confirmed as being from brown long eared bats.

Folio No: 4119-2025
Purchase Order: Thornfield
Contact: Tamworth Property Services
Issue Date: 29.09.2025
Received Date: 15.09.2025

Biological Report

Technical Report



Folio No: 4119-2025
Purchase Order: Thornfield
Contact: Tamworth Property Services
Issue Date: 29.09.2025
Received Date: 15.09.2025



Biological Sample Analysis

Summary

Most biological materials (tissue, feces, hair, blood, etc.) contain small amounts of DNA from the organism of which it originated. Using molecular methods such as PCR (polymerase chain reaction) and DNA sequencing, SureScreen Scientifics are able to analyze an unknown sample to determine which species the sample originates from our methods are optimized for the detection of species including bats (over 92% of bat species worldwide can be identified including all 18 UK bat species), mammals; bees, wasps & hornets; birds; fish; plants (from roots, leaves, stem and even dried wood) and many more species.

Results

Lab ID	Site Name	OS Reference	Sample Type	Species Name	Match(%)
B5481	Thornfield 1	SP 3513 9826	Bat Dropping	Common pipistrelle (Pipistrellus pipistrellus)	100.00
Genetic Sequence GCTATTATTAAATTGGAGGATTGGAACTGACTAGTTCCTACTAATAATTGGAGCCCTGACATGGCATTTCCTCGTA TAAATAATATAAGTTTCTGACTCCTACCTCTCTTTCTACTACTACTAGCCTCGTCTATAGTAGAAGCGGGAGCG GGTACAGGCTGAACAGTCTACCCCTCTAGCAGGAAACCTAGCACCA					
B5482	Thornfield 2	SP 3513 9826	Bat Dropping	Brown long-eared bat (Plecotus auritus)	100.00
Genetic Sequence GGCTTCGGGAACTGGTTAGTGCCACTGATAATTGGAGCCCTGACATAGCTTTTCCCGAATAAATAACATAAGCT TCTGACTGCTTCCCATCTTTTCTACTACTTTTAGCTTCGTCTGCAGTAGAGGCTGGGGCAGGTACCGGTTGAAC AGTCTACCTCCTTTAGCGGAAACCTAGCACACGCAGGAGAGA					
B5483	Thornfield 3	SP 3513 9826	Bat Dropping	Brown long-eared bat (Plecotus auritus)	100.00
Genetic Sequence GCTATATAATCGGNAGGCTTCGGGAACTGGTTAGTGCCACTGATAATTGGAGCCCTGACATAGCTTTTCCCGAA TAAATAACATAAGCTTCTGACTGCTTCCCATCTTTTCTACTACTTTTAGCTTCGTCTGCAGTAGAGGCTGGGGCA GGTACCGGTTGAACAGTCTACCTCCTTTAGCGGAAACCTAGCACACGCAGGAGA					

Matters affecting result: none
Reported by: Vanessa Hind
Approved by: Lauryn Jewkes




Conclusion.

There was evidence of bats using the dwelling as a place of shelter.

The roof space is being used by Brown long eared bats as a place of shelter. The number of droppings is small and this is a Day roost of Brown long eared bats.

The cavity wall or the gap between the blockwork of the eastern cavity wall and the bitumous underfelt is being used by Common pipistrelle bats as place of shelter. The number of droppings is small and this is likely to be a Day roost.

The proposal is to extend the property at the rear with a single storey flat roofed extension. This extension will not impact the roof space and will have no impact on the Brown long eared bat roosting in the roof space. There may be some disturbance of the bottom row of interlocking plain tiles and the uPVC fascia boards on the southern elevation but this will have a minimal impact on the roof space. The contractors must follow the Method of working set out below.



The Common pipistrelle bat roosting in the eastern gable will not be affected by the proposed southern elevation extension.

There are no other roosting opportunities in the building.

The extension of the dwelling will not affect a place of shelter for bats and the disturbance during the construction of the single storey extension will be negligible.

The extension of the dwelling will not affect nesting birds.

Impacts on bats.

The extension of the property will have a negligible impact on bats. The method of working below must be followed to ensure that the potential for disturbing or harming bats, however small, is minimized and avoided.

There is no loss of habitat from the proposed development and there will be no impact on habitat, forage or commuting routes from the proposed development.

Enhancements for bats.

Records show that there are populations of crevice dwelling bats locally. New roosting opportunities for these species of bats can be created when the new dwelling is built if planning permission is granted, to meet the requirements of the National Planning Policy Framework (2023).

A bat box can be installed on a tree on the site to provide new roosting opportunities for bats.



There should be no direct illumination of the new bat roosting opportunity. Lighting around the site will be by low wattage down lights at low level to provide security and safety lighting for the dwelling and service area. This lighting will be set no higher than the head height of the ground floor windows and will minimise the possible disturbance to bats in this area. Any security lighting will use PIR's to ensure they turn off automatically once the movement has ceased.

The method of working has been set out so that it can be printed and handed to contractors on site.

Method of working.

There is evidence of bats using the buildings as a place of shelter and it is possible that individual bats may use the possible roosting site in the roof space at different times of year. The proposed extension will not affect the roof space but there may be some disturbance when the flat roof is linked to the existing dwelling at the eaves. Because of this possibility a method of working should be put in place when there are contractors on site. This would cover work to the roof or demolition where there was access for bats.

The common species of bats that are likely to roost in buildings of this nature and are evidenced from the regional records, are crevice dwelling bats, such as the Common Pipistrelle. These bats are small and can use accesses as little as 50mm x 20mm. When found in buildings they appear no bigger than a thumb and have dark brown fur.



It is common to find bat droppings in places used by bats. These are small and often confused with mouse droppings. It is possible to distinguish between them as mouse droppings are hard whereas bat droppings, being only insect remains, crumble when rubbed between the fingers.



The other species of bat that may possibly be found on site is the Brown Long Eared bat. These are a medium sized bat, larger than a Pipistrelle with very long ears that meet in the centre of the head. These bats may be found in crevices in the brickwork, behind ridge boards or in splits in the larger roof timbers.



- When tiles are removed they should be lifted away from the roof and not slid or twisted to avoid injuring any bats roosting beneath the tiles.
- Ridge tiles should be lifted without sliding so as to avoid injuring any bats roosting beneath them.
- If a bat is found under a roof tile or ridge tile, the tile should be carefully replaced and work in that area stopped until such time as a licensed bat worker can attend the site.
- The bat can then be removed to a place of safety until such time that it can be released at night.
- The demolition of any part of the building where bats could potentially roost should be by hand. This includes the removal of roof tiles, ridge tiles, soffits, gutter fascia boards and hanging tiles. If a bat is found the work should be stopped immediately and a bat worker called to come and deal with the bat. The bat should not be handled except by a licensed bat worker. Any bats found will be taken into care for release on site later dependent upon the time and weather.
- Bats discovered during the winter period will be taken into care, feed and kept healthy until they can be released on site in the Spring.
- Bats will not be released on site until evening temperatures are consistently above 6°C, at least three nights, the wind is light, and there is no rain.
- Bats taken into care over the winter will be released to the new roost opportunities in Spring if they are available using the same release criteria as above.

Legislation concerning bats.

The Wildlife and Countryside Act 1981 (WCA) protects bats and their roosts in England, Scotland and Wales. Some parts have been amended by the Countryside and Rights of Way Act 2000 (CRoW) which applies only in England and Wales, and by the Nature Conservation (Scotland) Act 2004 which applies in Scotland.

The Conservation of Habitats and Species Regulations 2010 (better known as the Habitats Regulations) implements the Council Directive on the Conservation of Natural Habitats and of Wild Fauna and Flora. All bats are listed as 'European protected species of animals'.

It is an offence for any person to:

- Deliberately capture, injure or kill a bat.
- Intentionally or recklessly disturb bats, where that disturbance may significantly affect the ability of those bats to survive, breed, rear or nurture their young, or is likely to significantly affect the local distribution or abundance of any bat species, whether in a roost or not.
- Damage or destroy a place of shelter (roost) of a bat, be that a resting or breeding place.
- Possess a bat, whole or in part, alive or dead.
- Intentionally or recklessly obstruct access to a roost.
- Sell or offer for sale or exchange whole or parts of bats, alive or dead.

The fine for committing an offence is £5,000 per bat.

If a bat is found on site, work should stop in the area where the bat was found and the contractor should call the Bat Consultant; S. Christopher Smith 07967636115.

Breathable Roofing Membranes-Info Sheet

What are they?

- ✦ Traditional roofing felt was bitumen based
- ✦ Modern membranes are made from very fine and long plastic fibres that are spun into thin sheets. They be single ply or have various layers to provide a more complex membrane.
- ✦ They are known as Breathable roofing membranes or Vapour permeable underlay's (BRMs/VPUs)

Who Makes them?

- ✦ When most people talk about BRMs, they will call it Tyvek as this is the most famous brand name
- ✦ There are over 70 products in the UK alone, made by 20+ companies – never assume the product is Tyvek unless there is proof.



Why are they used?

- ✦ Modern houses are designed to be more energy efficient, meaning they tend to be warmer.
- ✦ Along with human activities this means increased levels of water vapour in the air
- ✦ When this passes up into the cold roof space, it forms condensation, which can lead to problems
- ✦ In the past gaps would have been left near the ridge and eaves to allow ventilation, but increased insulation often means this isn't possible. A breathable membrane aids this as it allows water vapour to pass out of the loft into the external air

Potential Problems

- ✦ There have been reports of bats becoming entangled in fibres pulled from the membranes
- ✦ Possibility of Temperature and humidity change
- ✦ A lot of membranes are white or brightly coloured

Advice

- ✦ At present we cannot recommend specific brands that are considered safe for use in bat roosts, as such it is recommended that bitumen felt be used where possible
- ✦ It is not against the law not to install a BRM
- ✦ If the planner insists on a BRM, suggest a dark coloured and reinforced membrane

Bibliography.

Bat Mitigation Guidelines, A.J.Mitchell-Jones, English Nature, 2004.
Bat Surveys for Professional Ecologists, Good Practice Guidelines, Bat Conservation Trust, 2023.
Bats and Lighting in the UK, Bat Conservation Trust and Institution of Lighting Engineers, 2007.
Bats and Traditional Buildings, English Heritage et al, 2009.
Bats and lighting, Alison Fure, The London Naturalist, No 85, 2006.
Effect of street lighting on bats, Matt Emery, Urbis Lighting Limited, January 2008.
Barns owls and rural planning applications, Barn Owl Trust and Natural England, 2009.
Bat Tree habitat Key, Henry L Andrews et al, 2022.
British Bat Calls, Jon Russ, 2012.
Street lighting disturbs commuting bats, Stone et al, Current Biology, 2009.
Acoustic Ecology of European Bats, M. Barataud, 2015
Bats of Britain and Europe, C. Dietz and A. Keifer, 2016.
ILP Guidance Note 8 Bats and Artificial Lighting, 2018
Is that a Bat?, N Middleton, 2020

£

.....
S.Christopher Smith MRICS MSc CEnv.

Appendix 1.

Roost Types as designated by Natural England and the Bat Surveys for Professional Ecologists, Good Practice Guidelines.

- A. Day roost: a place where individual bats, or small groups of males, rest or shelter in the day but are rarely found by night in the summer.
- B. Night roost: a place where bats rest or shelter in the night but are rarely found in the day. May be used by a single individual on occasion or it could be used regularly by the whole colony.
- C. Feeding roost: a place where individual bats or a few individuals rest or feed during the night but are rarely present by day.
- D. Transitional / occasional roost: used by a few individuals or occasionally small groups for generally short periods of time on waking from hibernation or in the period prior to hibernation.
- E. Swarming site: where large numbers of males and females gather during late summer to autumn. Appear to be important mating sites
- F. Mating sites: sites where mating takes place from later summer and can continue through winter.
- G. Maternity roost: where female bats give birth and raise their young to independence.
- H. Hibernation roost: where bats may be found individually or together during winter. They have a constant cool temperature and high humidity.
- I. Satellite roost: an alternative roost found in close proximity to the main nursery colony used by a few individual breeding females to small groups of breeding females throughout the breeding season.
- J. Other – Explain what the roost type is if not one of the above (it is recognised that roost types are interchangeable and not always easy to classify according to the nuances of certain species).