

ODSTONE – Tree Survey Results

Tree ID	Species	Grid Reference	Diameter at Breast Height	Lifecycle Stage	Condition Physiological / Structural	Priority	Recommended works/ Comments
T93	ASH	52.66665491, -1.420888156	70CM	M	P POOR S POOR	P1	ADVANCED ASH DIEBACK THROUGHOUT CANOPY, HIGH TARGET ZONE. POLLARD TO 4.5M AND SEVER IVY, OR FELL
T96	ASH	52.66644893, -1.421274059	50CM	M	P POOR S POOR	P1	ADVANCED ASH DIEBACK, HIGH TARGET ZONE. POLLARD TO 4.5M OR FELL
T97	ASH	52.66640806, -1.421338767	1M	M	P GOOD S GOOD	P1	IVY PREVENTS FULL INSPECTION. SEVER IVY, REMOVE SIGNIFICANT DEADWOOD
T98	ENGLISH OAK	52.66635865, -1.421386376	1.2M	M	P GOOD S GOOD	P1	CROWN RAISE OVER ROAD TO 5M, REMOVE SIGNIFICANT DEADWOOD
G99	ENGLISH OAK X 5	52.66634076, -1.421661973	<1.5M	M	P GOOD S GOOD	P1	REMOVE SIGNIFICANT DEADWOOD, AERIAL INSPECT FOR FURTHER DEFECTS