KEY

Site boundary

FFL 100.00 Finished floor level

Issues

Flow control: Crown Vortex
Design Head: 101.45
Flow: 7l/s
Top of weir wall: 100.79

Pond 1
Cut: 1009.049m³
Fill: 53.541m³
Water: 1183.976m³
Water Level: 100.75m
Max Water Level: 101.05m
Min Water Level: 99.75m

Forebay with gabion basket leaky wall

Basin

PS

SS

SAPCOTE ROAD

MH 1402
CL: 102.47
IL: 99.49

FINISHED FLOOR LEVELS MAY DIFFER BY UP TO 300MM FROM PLANNING TO FINAL DESIGN

Revision.

A	Topo added	04.06.26	DM
B	Levels amended	23.06.26	DM
C	Plot 100 garage amended	23.07.26	DM
D	Updated to latest layout & levels revised accordingly	30.07.26	DS
E	Sub station moved	17.08.26	DM

ASTON FLAMVILLE ROAD
BURBAGE

Finished floor levels

DATE: **27.05.26**
SCALE: **1:500 @ A1**
DRAWN: **DM**
CHECKED: **-**

BLOOR HOMES

Drawing No. EM097-EN-002E

Aston Flamville Road, Burbage

0m 10m 20m 30m 40m 50m