



FORESTRY AND ARBORICULTURAL GROUP TREE REPORT

***Redmoor Academy
Hinckley***

25th January 2022

SURVEYOR: ALAN SMITH



CONTENTS

1	General Tree Statement	3
2	Tree Works	4
3	Recommendations	5
4	Site Maps	6
5	Appendices	7

Included separately to this report

- Tree survey schedule

PURPOSE

This report has been prepared for Redmoor Academy as part of the tree safety survey conducted on 25th January 2022. It includes eighty-six individual trees and three tree groups.

Details for the individual trees may be found in the separate accompanying schedule.

SURVEY METHODOLOGY

The survey has been conducted from ground level and has included a close visual inspection of the external features of all significant trees on the site. The trees are plotted and numbered on the enclosed plan and details of each individual tree are given on the survey schedule attached.

Where an identified defect represents a potential hazard to users of the site, recommendations for remedial tree work have been detailed against individual trees. These works have been prioritised into the categories specified below and are detailed within the attached schedule.

FINDINGS

Recommendations for remedial works have been made in the survey under Urgent, Priority 1, Priority 2 or Routine works. These trees have been identified as requiring attention at the time of the survey. You are advised to take the necessary steps to arrange for the recommended work to be completed.

‘High Risk’ trees are large trees close to busy areas with one or more significant defects that potentially threaten the structural integrity of the tree. These trees may be required to be re-inspected every 18 months. Any trees in this category will be highlighted in the report.

Routine works are those that may be picked up as part of your routine grounds maintenance cycle over three years. In some cases, these may be works that could be carried out by your own ground staff at no additional cost.

All trees should be kept routinely clear of ivy so that any evidence of poor health or safety concerns can be identified. Where trees have not been inspected due to excessive ivy, it is possible that they may not be covered by your insurance in the event of an incident. They should therefore be cleared and booked in for re-inspection as soon as possible.

1. GENERAL TREE STATEMENT


Eighty-six individual trees and three tree groups were surveyed and were generally found to be in good health for their age, species and context. There are a number of mature trees on site which exhibit a range of characteristics commensurate with their age and maturity.

Much of the recommended work relates to the removal of various small dead Elm trees and cleaning out of minor dead wood. There is also a large Ash tree within the forest area, that is showing signs of Chalara infection. All recommendations are noted in the accompanying tree works schedule.

Where noted, excessive ivy increases the risk of failure due to excess weight on weak limbs and places excessive stress on the trees’ anchorage in windy conditions. It may also prevent a comprehensive tree inspection and should therefore be removed annually whilst the ivy is small and accessible.

Trees on this site are not protected by local planning authority statutory tree protection. It is not known whether the trees on site are subject to any Tree Preservation Orders and you should check with your local planning authority that necessary permissions are in place prior to commencing any maintenance work on the trees.

2.TREE WORKS



TREE NUMBER	
PRIORITY 1	
PRIORITY 2	T62, T66, T107, T122
ROUTINE	T74, T80

Urgent Works – There are currently no urgent works to be undertaken

Priority 1 – Remedial Health and Safety works to be completed within 3 months of report

Priority 2 – Remedial Health and Safety works to be completed within 1 year of report

Routine – Routine works to be completed within 3 years or as part of your regular grounds maintenance

The priority ratings provide an indication of how quickly recommended works should be carried out. Where you have a number of large, mature trees on site and increased costs, you may wish to prioritise those trees located within high impact areas.

NB. Quotes for recommended works can be obtained from LCC contractors upon request.

3. KEY RECOMMENDATIONS

- A full list of detailed tree management work recommendations is identified in the schedule and should be carried out as the priority states.



Priority 2 work recommendations

- T62, T66, T107 – Elm species. Straight fell 3x dead trees.
- T122 – Common Ash. Situated within G2. This tree is starting to show signs of Chalara infection (Ash dieback). Indicated by the epicormic reaction in the crown and branch dieback/minor dead wood. Recommendations are to clean out the dead wood and consider a reduction of the crown. Continue to routinely monitor for any signs of further decline.

Routine work recommendations

- T74 – Field Maple, situated along front boundary, showing branch dieback in the crown. Clean out the minor dead wood and remove basal epicormic growth.
- T80 – Norway Maple, situated adjacent to main footpath/driveway into the school. Remove the damaged limb.

4. SITE MAPS



5. APPENDICIES

I) TREE SURVEYS

- The survey has included a close visual inspection of the external features of all significant trees on the site.
- The trees were inspected from ground level with no climbing inspections undertaken. No samples have been removed from the site for analysis.
- It should be noted that it is a criminal offence to disturb or destroy – whether intentional or unintentional - the nesting sites of wild birds or the roost sites of bats, under the 'Wildlife & Countryside Act 1981 and the 'Countryside and Rights of Way Act 2000'. It is not permitted to carry out significant tree works if active bird nests or bat roosts are present and trees must be professionally surveyed for signs of bat roosts and/or bat activity before any tree works commence.

RE-INSPECTION PROCEDURE

It is important that trees are regularly inspected to monitor condition and identify any necessary remedial works. It is recommended that the following reinspection schedule should apply:

- **High Risk Trees**- re-inspections will take place every 18 months
- **Moderate Risk Trees** - re-inspections every three years
- **Low Risk Trees** - re-inspections every six years

All trees should be included in formal routine (i.e. annual) risk assessments carried out by a suitably competent member of the site staff – an additional risk assessment should always be undertaken immediately following severe weather events i.e. high winds, heavy rain or snow falls. If in doubt regarding the safety of a particular tree, please contact the County Council's Forestry Group.

TREE WORKS

- All tree works should be carried out in line with British Standard 3998:2010 – “British Standard Recommendations for Tree Works”.
- The above prices are included only as a guide and are liable to vary if site conditions (e.g. restricted access, school break times) dictate or where works are ordered at a later date. They are based on competitively tendered rates, which have been submitted to the County Council under a formal procurement arrangement. These rates apply to a specification which requires high standards of arboricultural practice and is in accordance with the British Standard. They also include the cost of independent supervision by the County Council's Forestry Group.
- Stump chipping will only be included for stumps of felled trees where these are considered to be a hazard. (e.g. adjacent to thoroughfares). You may, however, wish to consider removing other stumps on the site if you are concerned that they may be an obstruction or potential hazard.
- Should you choose to make your own arrangements, all works should be carried out by a competent, suitably qualified and appropriately insured arboricultural contractor in accordance with the British Standard. You should have regard to your 'duty of care' under the

Health and Safety at Work Act 1974 when directly employing tree-work contractors, and your potential liability if damage or injury occurs because of poor practices.

- If the trees proposed for work are included in any statutory protection (e.g. tree preservation orders) no intervention should take place until written permission has been obtained from the relevant authority.
- The trees inspected and detailed within this report have been selected for inclusion due to their influence on the site. Where works have been recommended to trees outside the ownership of the site, these can only progress with the agreement of the owner, except where it involves parts of the trees overhanging the boundary.

LIMITATIONS

Tree inspection reports are subject to the following limitations:

- Given the dynamic nature of trees and their environment, the condition of the trees could alter at any time. All trees should be inspected by the school on an annual basis and any recorded findings of concerns be reported to the County Council's Forestry Group.
- Where trees are visually obscured (e.g. ivy) they should be made visible before a full visual inspection can take place. Any limitations of the assessment will be highlighted in the report.
- The validity, accuracy and findings of this report will be directly related to the accuracy of the information made available prior to and during its production. Leicestershire County Council will not be responsible for the recommendations within this report where essential data is not made available or is inaccurate.
- This report is valid as of the date of inspection, and only whilst site conditions remain unaltered. It may become invalid if for example construction works or changes in soil level take place in close proximity to the tree or trees concerned.
- It must also be appreciated that recommendations proposed within this report may be superseded by extreme weather, or any other unreasonably foreseeable events. Trees should be internally inspected after adverse weather conditions and any changes reported to the County Council's Forestry Group.

If you would like further advice with regard to the survey or would like to arrange for the recommended work to be carried out, please contact Alan Smith (alan.smith@leics.gov.uk). Records of works to your trees can then be maintained and updated accordingly on our dedicated tree management database.

II) TREE SURGERY AND MAINTENANCE

GLOSSARY OF TERMS

The following terms, which may be included in your tree survey, relate to tree surgery and felling operations as defined in the County Council's forestry and arboricultural specifications and in British Standard 3998:2010 'Recommendations for Tree Work':-

- General Works* – this operation consists of a number of basic maintenance tasks including the removal of suckers, basal growth and dense shoot growth from the trunk of the tree, repair of minor bark wounds, removal of foreign debris, removal of minor branches which obstruct overhead services and access and the severance of climbing plants such as Ivy.
- Crown Lifting* - this operation consists of the removal of lower branches, twigs and dense shoot growth from the trunk of the tree in order to increase the clearance under its canopy.
- Cleaning Out* - the removal of dead, dying, diseased and irreparably damaged branches from throughout the crown of the tree.
- Crown Thinning* - the removal of a proportion of secondary lateral branches from the main branch structure of the tree to achieve an increase in light penetration through the it's crown and lessen the degree of resistance in windy conditions.
- Crown Reduction* - this operation includes the reduction in the overall height and spread of a tree whilst retaining a natural shape to its crown, typical of the species.
- Formative Pruning* - the selective pruning of the tree in order to promote the development of a well-formed mature specimen of a shape, habit and branch structure typical of the species.
- Further Investigation* - a more detailed and precise analysis of inaccessible areas, internal cavities, compressed forks etc.
- Pollarding* - this operation consists of a substantial reduction in the height and/or spread of a trees crown to a point from where a new crown may develop. This is often carried out to remove potential weak points and is a method of management which needs to be repeated at regular intervals.
- Straight Felling* - the felling of a whole tree in one operation.
- Sectional Felling* - the felling/dismantling of a tree in sections of a size appropriate to the location so as to avoid damage to surrounding features.

If you require any further clarification of the recommendations detailed in your tree survey, please contact the Forestry Group on 0116 3056920.

Hinckley, Hinkley & Bosworth (W)

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
G2	Mixed Broadleaves	15.0m	6.0m	Middle-Aged	Adjacent - Private garden Growing In - Other Hazard: Footpath under crown Hazard - Overhangs Property/Garden Wildlife: Habitat	Crown - Asymmetric Crown Crown - Ivy/climber Crown - Minor Deadwood < 100mm Crown - Poor pruning/old stubs Crown - Squirrel Damage Fair Trunk - Ivy/Climber Trunk - Forked Trunk Trunk - Multi-stemmed	None recorded..	No action required	Alder, H. Chestnut, Ash, Field Maple, Hawthorn. Fair condition throughout.
G4	Mixed Broadleaves	8.0m	3.0m	Semi-Mature	Growing In - Mown Grass	Good	None recorded..	No action required	Predominately Silver Birch, with various Hazel, Cherry and Field Maple. Fair/good condition throughout.
G5	Hawthorn	5.0m		Young-Mature	None recorded..	Crown - Previous crown reduction Fair Trunk - Ivy/Climber Trunk - Multi-stemmed	None recorded..	No action required	
1	Norway Maple	10.0m	9.0m	Mature	Adjacent - Entrance Adjacent - Road Growing In - Mown Grass Hazard - Entrance Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Badly-pruned Fair Roots - Surface Root Damage	None recorded..	No action required	
2	Norway Maple	9.0m	9.0m	Mature	Adjacent - Entrance Adjacent - Road Growing In - Mown Grass Hazard - Entrance Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Fair	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
4	Field Maple	9.0m	6.0m	Middle-Aged	Growing In - Mown Grass Hazard: Footpath under crown	Good Roots - Surface Root Damage Trunk - Mower Damage Trunk - Forked Trunk	None recorded..	No action required	
5	Field Maple	9.0m	8.0m	Middle-Aged	Growing In - Mown Grass Hazard: Footpath under crown	Good Trunk - Ivy/Climber	None recorded..	No action required	
6	Field Maple	8.0m	7.0m	Middle-Aged	Growing In - Mown Grass	Good	None recorded..	No action required	
7	Common Lime	9.0m	8.0m	Middle-Aged	Growing In - Mown Grass	Crown - Crossing Branches Fair Trunk - Ivy/Climber Trunk - Forked Trunk Trunk - Included Bark Trunk - Leaning Trunk - Multi-stemmed	None recorded..	No action required	
8	Common Lime	9.0m	7.0m	Middle-Aged	Growing In - Mown Grass	Crown - Crossing Branches Crown - Poor pruning/old stubs Fair Trunk - Ivy/Climber Trunk - Epicomics/suckers Trunk - Forked Trunk	None recorded..	No action required	
9	Common Lime	8.0m	8.0m	Middle-Aged	Growing In - Mown Grass	Crown - Crossing Branches Fair Trunk - Epicomics/suckers Trunk - Multi-stemmed	None recorded..	No action required	
10	Common Lime	9.0m	7.0m	Middle-Aged	Growing In - Mown Grass	Crown - Crossing Branches Fair Trunk - Ivy/Climber Trunk - Epicomics/suckers	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
11	Common Lime	10.0m	12.0m	Middle-Aged	Growing In - Mown Grass	Crown - Crossing Branches Crown - Poor pruning/old stubs Fair Roots - Exposed surface roots Trunk - Included Bark	None recorded..	No action required	
12	Lime spp	9.0m	7.0m	Semi-Mature	Growing In - Mown Grass	Crown - Crossing Branches Fair Trunk - Basal Decay Trunk - Forked Trunk Trunk - Minor Trunk Decay	None recorded..	No action required	
13	Lime spp	9.0m	7.0m	Middle-Aged	Growing In - Mown Grass	Crown - Crossing Branches Crown - Poor pruning/old stubs Good Trunk - Forked Trunk	None recorded..	No action required	
14	Lime spp	8.0m	7.0m	Young-Mature	Growing In - Mown Grass	Crown - Crossing Branches Crown - Poor pruning/old stubs Good	None recorded..	No action required	
15	Lime spp	9.0m	7.0m	Middle-Aged	Growing In - Mown Grass	Fair Trunk - Ivy/Climber Trunk - Epicomics/suckers Trunk - Forked Trunk	None recorded..	No action required	
16	Oak spp	8.0m	6.0m	Young-Mature	Adjacent - Private garden Growing In - Mown Grass	Fair Trunk - Multi-stemmed	None recorded..	No action required	
17	Oak spp	8.0m	4.0m	Young	Growing In - Ditch	Crown - Minor Deadwood < 100mm Fair Trunk - Leaning	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
18	Lime spp	8.0m	5.0m	Young-Mature	Growing In - Mown Grass	Crown - Asymmetric Crown Crown - Poor pruning/old stubs Good	None recorded..	No action required	
19	Oak spp	11.0m	6.0m	Young-Mature	Growing In - Mown Grass	Good Trunk - Ivy/Climber	None recorded..	No action required	
20	Lime spp	7.0m	5.0m	Semi-Mature	Growing In - Mown Grass	Crown - Asymmetric Crown Good Trunk - Forked Trunk	None recorded..	No action required	
21	Lime spp	7.0m	6.0m	Young-Mature	Growing In - Mown Grass	Fair Trunk - Epicomics/suckers Trunk - Forked Trunk	None recorded..	No action required	
22	Lime spp	7.0m	6.0m	Semi-Mature	Growing In - Mown Grass	Crown - Crossing Branches Fair Trunk - Epicomics/suckers Trunk - Forked Trunk	None recorded..	No action required	
23	Norway Maple	10.0m	8.0m	Mature	Growing In - Mown Grass	Crown - Minor Deadwood < 100mm Fair	None recorded..	No action required	
25	Norway Maple	8.0m	8.0m	Mature	Growing In - Mown Grass	Crown - Minor Deadwood < 100mm Fair Trunk - Minor Trunk Decay Trunk - Surface Bark Wound	None recorded..	No action required	
26	Sycamore	9.0m	9.0m	Mature	Growing In - Mown Grass	Crown - Minor Deadwood < 100mm Fair Trunk - Old pruning wounds	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
27	Common Ash	9.0m	12.0m	Mature	Growing In - Mown Grass	Crown - Minor Deadwood < 100mm Good Roots - Surface Root Damage	None recorded..	No action required	
28	Sycamore	7.0m	6.0m	Young-Mature	Growing In - Mown Grass	Crown - Minor Deadwood < 100mm Crown - Poor pruning/old stubs Good Trunk - Forked Trunk	None recorded..	No action required	
32	Purple-leaved Plum	5.0m	3.0m	Semi-Mature	Growing In - Shrub Bed Growing In - Soil	Good Trunk - Forked Trunk Trunk - Multi-stemmed	None recorded..	No action required	
33	Scots Pine	6.0m	4.0m	Semi-Mature	Growing In - Shrub Bed Growing In - Soil	Good	None recorded..	No action required	
34	Birch spp	5.0m	3.0m	Young-Mature	Growing In - Shrub Bed Growing In - Soil	Fair	None recorded..	No action required	
36	Birch spp	7.0m	5.0m	Semi-Mature	Growing In - Shrub Bed Growing In - Soil	Crown - Minor Deadwood < 100mm Good Trunk - Leaning	None recorded..	No action required	
37	Scots Pine	5.0m	3.0m	Semi-Mature	Growing In - Shrub Bed Growing In - Soil	Good	None recorded..	No action required	
38	Birch spp	7.0m	3.0m	Semi-Mature	Growing In - Shrub Bed Growing In - Soil	Good	None recorded..	No action required	
39	Field Maple	10.0m	8.0m	Middle-Aged	Adjacent - Private garden	Good Roots - Surface Root Damage Trunk - Ivy/Climber	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
41	Common Ash	15.0m	14.0m	Mature	None recorded..	Crown - Minor Deadwood < 100mm Fair Trunk - Ivy/Climber Trunk - Forked Trunk Trunk - Multi-stemmed	None recorded..	No action required	
43	Common Ash	9.0m	7.0m	Young-Mature	Adjacent - Private garden	Fair Trunk - Ivy/Climber	None recorded..	No action required	
62	English Elm	4.0m	4.0m	Young	None recorded..	Dead	Straight Fell	Priority 2	
63	Field Maple	4.0m	5.0m	Young	None recorded..	Good Trunk - Multi-stemmed	None recorded..	No action required	
64	Turkey Oak	5.0m	5.0m	Young	None recorded..	Good	None recorded..	No action required	
65	Lombardy Poplar	16.0m	4.0m	Young-Mature	None recorded..	Good Trunk - Epicomics/suckers Trunk - Forked Trunk	None recorded..	No action required	
66	English Elm	5.0m	3.0m	Young	None recorded..	Dead	Straight Fell	Priority 2	
67	Field Maple	9.0m	8.0m	Middle-Aged	Hazard: Footpath under crown	Good Trunk - Ivy/Climber Trunk - Epicomics/suckers	None recorded..	No action required	
68	Field Maple	9.0m	7.0m	Middle-Aged	Hazard: Footpath under crown	Good Trunk - Ivy/Climber Trunk - Forked Trunk	None recorded..	No action required	
69	Field Maple	8.0m	8.0m	Middle-Aged	Hazard: Footpath under crown	Good Trunk - Ivy/Climber	None recorded..	No action required	
70	Common Lime	8.0m	7.0m	Semi-Mature	Hazards - Adj. Building - >3m Adjacent - Private garden Growing In - Mown Grass Hazard - Overhangs Property/Garden	Crown - Asymmetric Crown Crown - Poor pruning/old stubs Crown - Tearout wound Badly-pruned Fair Trunk - Trunk Cavity	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
71	Field Maple	5.0m	6.0m	Young-Mature	Growing In - Mown Grass	Crown - Ivy/climber Crown - Minor Deadwood < 100mm Crown - Tearout wound Fair Trunk - Ivy/Climber	None recorded..	No action required	
72	Rowan/Whitebeam fam.	8.0m	5.0m	Mature	Hazards - Adj. Building - within 1m Growing In - Mown Grass	Crown - Asymmetric Crown Crown - Poor pruning/old stubs Fair Trunk - Leaning	None recorded..	No action required	
74	Field Maple	5.0m	6.0m	Middle-Aged	Adjacent - Parking area	Crown - Bark Cracks Crown - Minor Branch Dieback Crown - Minor Deadwood < 100mm Fair Trunk - Ivy/Climber Trunk - Epicomics/suckers Trunk - Forked Trunk	Clean Out General Works Remove Basal Growth	Routine	
75	Field Maple	8.0m	9.0m	Middle-Aged	Adjacent - Parking area	Fair Trunk - Ivy/Climber Trunk - Epicomics/suckers Trunk - Minor Trunk Decay	None recorded..	No action required	
76	Field Maple	9.0m	8.0m	Middle-Aged	Adjacent - Parking area	Good Trunk - Ivy/Climber Trunk - Epicomics/suckers	None recorded..	No action required	
77	Norway Maple	7.0m	10.0m	Mature	Adjacent - Entrance Adjacent - Road Growing In - Mown Grass Hazard - Entrance Hazard: Footpath under crown Hazard - Road Under Crown	Fair	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
78	Norway Maple	9.0m	8.0m	Mature	Adjacent - Entrance Adjacent - Road Growing In - Mown Grass Hazard - Entrance Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Poor pruning/old stubs Fair Trunk - Forked Trunk	None recorded..	No action required	
79	Cherry spp	10.0m	9.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Asymmetric Crown Crown - Poor pruning/old stubs Badly-pruned Fair	None recorded..	No action required	
80	Norway Maple	8.0m	6.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Broken Hanging Branches Crown - Poor pruning/old stubs Crown - Tearout wound Badly-pruned Fair Trunk - Minor Trunk Decay Trunk - Surface Bark Wound	Clean Out General Works Remove Damaged Limb (No Price)	Routine	
81	Norway Maple	8.0m	8.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown Hazard - Street Light	Crown - Poor pruning/old stubs Fair Roots - Exposed surface roots	None recorded..	No action required	
82	Norway Maple	8.0m	4.0m	Mature	Adjacent - Entrance Adjacent - Road Growing In - Mown Grass Hazard - Entrance Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Crown - Squirrel Damage Badly-pruned Fair	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
83	Norway Maple	7.0m	6.0m	Mature	Adjacent - Entrance Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Crown - Poor pruning/old stubs Crown - Squirrel Damage Fair	None recorded..	No action required	
84	Wild Cherry	5.0m	6.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Poor pruning/old stubs Badly-pruned Fair Roots - Surface Root Damage Trunk - Minor Trunk Decay Trunk - Surface Bark Wound	None recorded..	No action required	
85	Norway Maple	6.0m	5.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown Hazard - Street Light	Good Trunk - Old pruning wounds	None recorded..	No action required	
86	Common Lime	9.0m	7.0m	Semi-Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Branch Decay Crown - Branch Cavities Crown - Branch wounds Crown - Poor pruning/old stubs Crown - Tearout wound Fair Roots - Surface Root Damage Trunk - Leaning	None recorded..	No action required	
87	Hornbeam	6.0m	6.0m	Young-Mature	None recorded..	Good	None recorded..	No action required	
88	Hornbeam	5.0m	5.0m	Young-Mature	Hazard: Footpath under crown	Good	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
92	False Acacia	10.0m	10.0m	Mature	Adjacent - Road Adjacent - Parking area Growing In - Mown Grass Growing In - Traffic Island Hazard - Car Parking Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Fair Trunk - Forked Trunk	None recorded..	No action required	
93	Norway Maple	7.0m	5.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Badly-pruned Fair Roots - Surface Root Damage	None recorded..	No action required	
94	Norway Maple	9.0m	7.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Crown - Poor pruning/old stubs Fair Roots - Surface Root Damage	None recorded..	No action required	
95	Norway Maple	8.0m	6.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Crown - Poor pruning/old stubs Fair Roots - Surface Root Damage Trunk - Old pruning wounds	None recorded..	No action required	
96	Norway Maple	8.0m	7.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Poor pruning/old stubs Badly-pruned Fair Roots - Surface Root Damage Trunk - Old pruning wounds	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
97	Norway Maple	9.0m	7.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Poor pruning/old stubs Fair Roots - Surface Root Damage Trunk - Forked Trunk Trunk - Old pruning wounds	None recorded..	No action required	
98	Norway Maple	9.0m	7.0m	Mature	Adjacent - Road Growing In - Mown Grass Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Crown - Poor pruning/old stubs Fair Roots - Surface Root Damage Trunk - Forked Trunk	None recorded..	No action required	
107	Elm spp	5.0m	2.0m	Middle-Aged	None recorded..	Dead	Straight Fell	Priority 2	
112	Cherry spp	8.0m	5.0m	Semi-Mature	None recorded..	Fair Trunk - Leaning	None recorded..	No action required	
113	Hawthorn	5.0m	3.0m	Semi-Mature	Hazards - Adj. Building - within 1m	Crown - Asymmetric Crown Crown - Minor Deadwood < 100mm Crown - Suppressed Fair Trunk - Forked Trunk	None recorded..	No action required	
114	Hawthorn	5.0m	6.0m	Young-Mature	None recorded..	Fair Trunk - Ivy/Climber Trunk - Multi-stemmed	None recorded..	No action required	
115	Rowan/Whitebeam fam.	5.0m	4.0m	Semi-Mature	None recorded..	Fair	None recorded..	No action required	
116	Silver Birch	8.0m	3.0m	Semi-Mature	None recorded..	Good	None recorded..	No action required	
117	Rowan/Whitebeam fam.	5.0m	2.0m	Young	None recorded..	Fair	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
118	Cherry spp	6.0m	6.0m	Semi-Mature	Hazards - Adj. Building - within 1m	Good Trunk - Ivy/Climber	None recorded..	No action required	
119	Rowan/Whitebeam fam.	4.0m	4.0m	Young	None recorded..	Good Trunk - Leaning	None recorded..	No action required	
120	Cherry spp	3.0m	2.0m	Young	None recorded..	Fair	None recorded..	No action required	
121	Cherry spp	3.0m	3.0m	Young	None recorded..	Crown - Low Branches Fair	None recorded..	No action required	
122	Common Ash	16.0m	14.0m	Young-Mature	Hazards - Adj. Building - within 3m Hazard: Footpath under crown	Crown Chalara epicormic reaction in crown Crown - Fungus - Chalara Crown - Minor Branch Dieback Crown - Minor Deadwood < 100mm Fair Trunk - Ivy/Climber Trunk - Epicormics/suckers	Clean Out Crown Reduce General Works	Priority 2	Suspected Chalara infection. Please monitor for any signs of further decline.
123	Common Ash	15.0m	9.0m	Young-Mature	Hazards - Adj. Building - within 1m Hazard: Footpath under crown	Crown - Asymmetric Crown Crown - Minor Deadwood < 100mm Fair Trunk - Ivy/Climber Trunk - Forked Trunk	None recorded..	No action required	
124	Common Ash	13.0m	4.0m	Mature	None recorded..	Crown - Major Deadwood >100mm Crown - Previous crown reduction Poor Trunk - Ivy/Climber	None recorded..	No action required	Top 4m of main stem is dead and side branches have been removed. Largely standing dead wood that poses only a small risk due to it's location.
125	Common Alder	14.0m	7.0m	Mature	Hazard: Footpath under crown	Good Trunk - Multi-stemmed	None recorded..	No action required	
126	Common Alder	14.0m	7.0m	Mature	Hazard: Footpath under crown	Good Trunk - Multi-stemmed	None recorded..	No action required	

Hinckley, Hinkley & Bosworth (W) ... (contd)..

Tree Id	Common	Height	Sprea	Age Class	Site features	Conditions	Recommendations	Priority	Comments
127	Common Alder	14.0m	6.0m	Mature	Hazard: Footpath under crown	Crown - Asymmetric Crown Good	None recorded..	No action required	
128	Cherry spp	5.0m	3.0m	Young	None recorded..	Fair Self-set	None recorded..	No action required	
						Total:	89 trees		
Notes:-									
						Overall total:	89 trees	-	

