



1. THE PURPOSE OF THIS DRAWING IS TO ILLUSTRATE THE OUTLINE DRAINAGE STRATEGY FOR THE DEVELOPMENT AND NOT FOR CONSTRUCTION.
2. DO NOT SCALE FROM THIS DRAWING.
3. A FLOW RATE OF 2.2 LITRES A SECOND HAS BEEN CALCULATED BASED ON 3.82 LITRES A SECOND PER HECTARE AS STATED WITHIN THE PREVIOUS FLOOD RISK ASSESSMENT.
4. ALL LEVELS ARE SUBJECT TO A DETAIL DESIGN BEING CARRIED OUT.

- Not For Construction -

CLIENT _____

PROJECT

WESTFIELD FARM, EARL SHILTON

SCALE 1:200	DATE OCTOBER 2023	FRAME DIMS (mm) (A1) 791 x 544
----------------	----------------------	-----------------------------------

Libri

Registered Office: Cromford Mills, Mill Lane, Matlock, Derbyshire, DE4 3RQ
Website: www.merebrook.co.uk t: +44(0)1773 829 988 e: info.derbyshire@idom.com

Registered Office: Cromford Mills, Mill Lane, Matlock, Derbyshire, DE4 3RQ
Website: www.merebrook.co.uk t: +44(0)1773 829 988 e: info.derbyshire@idom.com

SCALE 1:200