

Mule

NRO101

KOMPAN
Let's play



The Mule with its chunky, rocking body attracts toddlers for shorter or longer rides, again and again. Apart from its appealing shape, the Mule offers tactile variation with its steel hand hold, rubber foot support and smooth, wooden body. Tactile richness is a main motivator, especially in younger children. It supports their understanding of material characteristics such

as weight, smoothness, temperature and flexibility. This is important in for instance risk management. The spring ensures hours, years and decades of fun. The soothing, rocking movement of the Mule trains the sense of balance and the spatial aware-ness. These are crucial for body confidence, e.g. in avoiding falling. A good sense of balance is essential for

the ability to sit still and concentrate. So this is much more than a mere fun ride.

Item no. NRO101-0401	
General Product Information	
Dimensions LxWxH	44x75x65 cm
Age group	3+
Play capacity (users)	1
Colour options	 



Data is subject to change without prior notice.

Mule

NRO101



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

Footsteps are made of high-quality stainless steel and equipped with moulded on PUR footrests. The PUR footrests are designed with grooves to make the surface slip resistant.

KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO101-0401

Installation Information

Max. fall height	60 cm
Safety surfacing area	6.8 m ²
Total installation time	2.1
Excavation volume	0.16 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	41 cm
Shipment weight	51 kg
Anchoring options	In-ground <input checked="" type="checkbox"/> Surface <input checked="" type="checkbox"/>

Warranty Information

Robinia wood	15 years
Spare parts guaranteed	10 years
Springs	5 years
Stainless steel components	Lifetime



Sustainability Data

NRO101



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO101-0401	61.12	1.31	18.23

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000



Triple Balance Beam

NRO804

KOMPAN
Let's play



The Triple balance beam is a great playground classic, that attracts children again and again. It can function as playground glue, connecting activities. It can also function as a point for a break, providing seating for children sharing, or parents or carers in need of a point from which to observe play. When children balance across the Single Balance Beam, they train their

equilibrium immensely. The sense of balance is a fundamental motor skill, that is basic for the development of all other skills. The sense of balance for instance makes it possible for children to sit still and concentrate. So the fun of physical play supports child development. The spaciousness allows for ample social interaction and cooperative play.

Item no. NRO804-0601

General Product Information

Dimensions LxWxH	751x231x61 cm
Age group	3+
Play capacity (users)	6
Colour options	 



Triple Balance Beam

NRO804

KOMPAN
Let's play



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO804-0601

Installation Information

Max. fall height	61 cm
Safety surfacing area	34.0 m ²
Total installation time	4.4
Excavation volume	0.17 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	60 cm
Shipment weight	300 kg
Anchoring options	In-ground <input checked="" type="checkbox"/> Surface <input checked="" type="checkbox"/>

Warranty Information

Robinia wood	15 years
Spare parts guaranteed	10 years



Sustainability Data

NRO804



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO804-0601	25.45	0.12	0.25

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂ calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000



Stepping Pod, 300mm

M87402

KOMPAN
Let's play



Item no. M87402-3617

General Product Information

Dimensions LxWxH	28x28x30 cm
Age group	3+
Play capacity (users)	1
Colour options	●



The Stepping Pods provide great fun because they make it possible to jump to and from the various play equipment structures. While jumping from one Stepping Pod to the next, the child's sense of balance is trained. Furthermore, the Stepping Pods may also serve as a convenient place for resting.



Stepping Pod, 300mm

M87402

KOMPAN
Let's play



Stepping point is made of SBR rubber. It has good heat and abrasion resistance.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. M87402-3617

Installation Information

Max. fall height	30 cm
Safety surfacing area	8.4 m ²
Total installation time	0.5
Excavation volume	0.10 m ³
Concrete volume	0.03 m ³
Footing depth (standard)	80 cm
Shipment weight	19 kg
Anchoring options	In-ground <input checked="" type="checkbox"/> Surface <input checked="" type="checkbox"/>

Warranty Information

Hot dip galvanised steel	Lifetime
SBR rubber	2 years
Spare parts guaranteed	10 years



Sustainability Data

M87402



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
M87402-3617	41.20	2.21	22.45

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000



Carousel with Seats

NRO120

KOMPAN
Let's play




The Carousel with Seats is an attractive playground classic for children and adults alike. With its two seats and spinning option it invites social play and thrill, a winning combination for all play. Children can't get enough of that. The spinning starts by pushing or pulling the carousel into motion from the outside. The circular shape makes room for users both

seated and standing, jumping on and off. Spinning on the carousel trains the vestibular system and the whole sense of balance. This is fundamental for the child's ability to navigate the world securely. It's fundamental for walking, running and being able to sit still and concentrate. When the sense of balance is under-developed, children can focus on

nothing but keeping equilibrium, seated or standing. So the fun of stomach tickling spinning serves a true purpose.

Item no. NRO120-0901	
General Product Information	
Dimensions LxWxH	155x154x81 cm
Age group	3+
Play capacity (users)	8
Colour options	 



Data is subject to change without prior notice.

Carousel with Seats

NRO120



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Heavy duty engineered bearing system with two single row deep groove high quality ball bearings with rubber seals. The fully closed bearing construction is lifetime lubricated and located above ground.

Item no. NRO120-0901

Installation Information

Max. fall height	100 cm
Safety surfacing area	24.1 m ²
Total installation time	3.0
Excavation volume	0.44 m ³
Concrete volume	0.42 m ³
Footing depth (standard)	100 cm
Shipment weight	173 kg
Anchoring options	In-ground <input checked="" type="checkbox"/>

Warranty Information

Bearing construction	5 years
Hot dip galvanised steel	Lifetime
Robinia wood	15 years
Spare parts guaranteed	10 years



Sustainability Data

NRO120



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO120-0901	335.57	2.31	41.38

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk


+45 7731 1000



Mountaineer

NAT528

KOMPAN
Let's play




The Mountaineer is a structure made for activity with its varied combination of climbing set in a transparent design.

Item no. NAT528-0912

General Product Information

Dimensions LxWxH	346x275x242 cm
Age group	4+
Play capacity (users)	8
Colour options	●



Mountaineer

NAT528

KOMPAN
Let's play



Posts and boards are made of pine wood from sustainable European sources. The wood is pressure impregnated Class 3 with Tanalith E3475 according to EN335 (Equivalent to NTR Class AB). On request it can be supplied as FSC® Certified (FSC® C004450).



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and requires low maintenance.



Corocord ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand. PES has high strength with excellent resistance to abrasion and UV radiation. The rope loops are assembled by aluminum connectors.



The post end caps are made of injection molded high quality nylon (PA6). PA6 has good wearing and impact strength and is UV stabilized. The end caps protect vertical placed posts to ensure long lifetime.



The round climbing steps are made of PUR materials which is soft and durable.

Item no. NAT528-0912

Installation Information

Max. fall height	223 cm
Safety surfacing area	27.6 m ²
Total installation time	5.1
Excavation volume	1.42 m ³
Concrete volume	0.31 m ³
Footing depth (standard)	90 cm
Shipment weight	148 kg
Anchoring options	In-ground <input checked="" type="checkbox"/> Surface <input checked="" type="checkbox"/>

Warranty Information

Hot dip galvanized steel	Lifetime
Pinewood	10 years
PUR components	10 years
Ropes & nets	10 years
Spare parts guaranteed	10 years



Sustainability Data

NAT528



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NAT528-0912	309.45	2.34	38.40

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000



Playhouse with Roof

NRO401

KOMPAN
Let's play



This adorable play house with its triangular shape will attract children again and again. With its welcoming triangular shape, the Playhouse with Roof adds a shelter-feel to the playhouse and suggests a wealth of themed play worlds: den, ship, house. This invites continued dramatic play scenarios. The Play House with roof welcomes smaller and bigger

groups of children in dramatic play. Dramatic play trains children's imagination and feeling of control. Additionally, children play out everyday scenarios that they have a hard time understanding, thus playing out their life observations. While doing so, they constantly talk and communicate with their peers, and even with themselves. This hugely stimulates

language skills as well as negotiation and communication skills.



Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 



Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 



Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Dimensions LxWxH	151x168x260 cm
Age group	6m+
Play capacity (users)	4
Colour options	 

Item no. NRO401-0601

General Product Information

Playhouse with Roof

NRO401

KOMPAN
Let's play



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



Play activities like the Megaphone are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength and is UV stabilised.

Item no. NRO401-0601	
Installation Information	
Max. fall height	0 cm
Safety surfacing area	16.6 m ²
Total installation time	4.9
Excavation volume	0.13 m ³
Concrete volume	0.02 m ³
Footing depth (standard)	60 cm
Shipment weight	317 kg
Anchoring options	In-ground <input checked="" type="checkbox"/>
Warranty Information	
Hot dip galvanised steel	Lifetime
PUR components	10 years
Robinia wood	15 years
Spare parts guaranteed	10 years



Robinia products are available in three different wood treatment options: Untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version with paint of selected components.



Binoculars are made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. Material is UV stabilised.



Sustainability Data

NRO401



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO401-0601	46.86	0.20	0.69

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂ calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000



Two Towers with Overhead Handholds

NRO2001

KOMPAN
Let's play




The Tarzan challenge of the Two Towers with Overhead Handholds attracts children to try out their skills and strength. The inclined and twisted climbing nets train important motor skills such as cross coordination and balance. The overhead handholds are great trainers of upper body strength. The balance ropes train the balance as well as the posture control. The

slide and fireman's pole offer graded play challenges each with their stomach tickling reward and training of spatial awareness and core, leg and arm muscles. The variety of motor challenges adds to the fun of fundamental training: the mastery of spatial awareness, a skill important for instance in crossing the road safely. The transparency of

the structure makes possible communication and social interaction.

Item no. NRO2001-1001	
General Product Information	
Dimensions LxWxH	772x614x360 cm
Age group	4+
Play capacity (users)	19
Colour options	Grey and Brown



Two Towers with Overhead Handholds

NRO2001



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.

Item no. NRO2001-1001	
Installation Information	
Max. fall height	223 cm
Safety surfacing area	57.3 m ²
Total installation time	18.1
Excavation volume	2.06 m ³
Concrete volume	0.53 m ³
Footing depth (standard)	100 cm
Shipment weight	1,008 kg
Anchoring options	In-ground <input checked="" type="checkbox"/>
Warranty Information	
Robinia wood	15 years
Ropes & nets	10 years
Spare parts guaranteed	10 years
Stainless steel components	Lifetime



Sustainability Data

NRO2001



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO2001-1001	457.60	0.59	7.79

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000



Two Seat Swing

NRO904

KOMPAN
Let's play




Of all the play activities swinging is a favourite, children love it, as it can be done individually or together. This swing set supports the joy of doing the same thing at the same time, featuring two similar swing seats. The seats are shaped with a slight curve in the middle, to facilitate the secure seat position of a wide age span. A great place to play, for all ages, for

hours and days. Swinging trains the children's ABC: agility, balance and coordination as well as their spatial awareness. These motor skills are crucial to being able to judge distances and navigate, traffic safely. Children can stand, sit or lie on swings – as well as jumping off! Apart from the motor skills training, this trains the arm, leg and core muscles. The jumping off

builds bone density – the majority of which is built up during the first years of life.

Item no. NRO904-1101	
General Product Information	
Dimensions LxWxH	319x208x284 cm
Age group	2+
Play capacity (users)	2
Colour options	 



Data is subject to change without prior notice.

Two Seat Swing

NRO904



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

The standard seats of KOMPAN swings is engineered for maximum safety and durability. The two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot dip galvanised steel or stainless steel for all swings heights.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO904-1101

Installation Information

Max. fall height	150 cm
Safety surfacing area	25.1 m ²
Total installation time	6.2
Excavation volume	1.47 m ³
Concrete volume	0.32 m ³
Footing depth (standard)	109 cm
Shipment weight	399 kg
Anchoring options	In-ground <input checked="" type="checkbox"/>

Warranty Information

Chains	10 years
Robinia wood	15 years
Spare parts guaranteed	10 years
Stainless steel components	Lifetime



Sustainability Data

NRO904



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO904-1101	100.29	0.30	1.98

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000



BUREAU
VERITAS