

Rev.	Date	Description	By
A	12.08.24	Eaves detail amended	ZM
B	02.10.24	Verge overhang amended. Window openings amended. Eaves amended	ZM
C	23.04.26	Acoustic window note added	RD

Mechanical extract shown
indicatively

Special Cartwright brick with
logo



120C

115C

110C

105C

100C

95C

90C

85C

80C

75C

70C

65C

60C

55C

50C

45C

40C

35C

30C

25C

20C

15C

10C

5C

DPC

Acoustic rating to windows note

All habitable rooms overlooking either the Parish or Chapel Lane to be fitted with windows with minimum manufacturers rating of RW33dB. The sound reductions should be achieved by the window unit as a whole including frames and furniture. Any external vents to habitable rooms should, when open, have a minimum acoustic rating of new 38dB



Plot 2 Caludon

hayward
ARCHITECTS LTD

19 Station Road
Hinckley
Leicestershire
LE10 1AW

Tel: 01455 635 665
Fax: 01455 618 971

www.hayward-architects.co.uk

Client	Cartwright Homes		
Project	Residential development Chapel Lane Witherley		
Drawing	Front Elevation		
Scale	1:50		
Date	June 2024	Author CB	Sheet A3
Job No.	22/124	Drawing No.	33c
Drawing Status	BREGS		

THE COPYRIGHT OF THIS DRAWING IS VESTED IN HAYWARD ARCHITECTS LTD.
REPRODUCTION IN ANY FORM, EITHER IN WHOLE OR IN PART IS FORBIDDEN
WITHOUT THE PRIOR WRITTEN PERMISSION
OF THE COPYRIGHT HOLDER. DO NOT SCALE FROM DRAWING AND ONLY
FIGURED DIMENSIONS ARE TO BE USED