

Rev.	Date	Description	By	Ckd
A	13.08.24	Eaves details amended	ZM	
B	23.04.26	Acoustic window note added	RD	



Acoustic rating to windows note

All habitable rooms overlooking either the Parish or Chapel Lane to be fitted with windows with minimum manufacturers rating of RW33dB. The sound reductions should be achieved by the window unit as a whole including frames and furniture. Any external vents to habitable rooms should, when open, have a minimum acoustic rating of new 38dB



Kelmscott
Plot 3



19 Station Road
Hinckley
Leicestershire
LE10 1AW
Tel: 01455 635 665
Fax: 01455 618 971
www.hayward-architects.co.uk

Client	Cartwright Homes Ltd		
Project	Housing Development Chapel Lane Witherley		
Drawing	BR - Front Elevation		
Scale	1:50	Sheet	A3
Date	June 2024	Author	SS
		Checked by	LJW
Job No.	22/124	Drawing No.	43b
Drawing Status	Building Regulations Stage		

THE COPYRIGHT OF THIS DRAWING IS VESTED IN HAYWARD ARCHITECTS LTD. REPRODUCTION IN ANY FORM, EITHER IN WHOLE OR IN PART IS FORBIDDEN WITHOUT THE PRIOR WRITTEN PERMISSION OF THE COPYRIGHT HOLDER. DO NOT SCALE FROM DRAWING AND ONLY FIGURED DIMENSIONS ARE TO BE USED