

Tree Survey Report (Re-Inspections March 2026)

Ref.	Species	Description	Survey Notes	Condition	Risk Rating	Inspected	Inspect Period	Recommendations	Photo	Photo	Photo
T1	European lime (<i>Tilia x europaea</i>)	Target # - car park Target # - footpath Target # - road - Occupancy - Frequent(3). - Not practical to move the target. - Not Practical to restrict access to the target zone.	Crown Size: Medium. Crown Density: Normal. Interior Branches: Major deadwood. Pruning history - Pollard.	Fair	High	25-Mar-2026	3 Years	Remove the deadwood from the crown. Timescale: 25-Jun-2026 (3 Months)			
T2	European lime (<i>Tilia x europaea</i>)	Target # - car park Target # - footpath Target # - road - Occupancy - Frequent(3). - Not practical to move the target. - Not Practical to restrict access to the target zone.	Crown Size: Medium. Crown Density: Normal. Interior Branches: Major deadwood, and decayed limb. Pruning history - Pollard. Major deadwood in crown. Epicormic growth.	Fair	High	25-Mar-2026	3 Years	Remove the deadwood from the crown. Remove the decayed limb. Timescale: 25-Jun-2026 (3 Months)			
T3	European lime (<i>Tilia x europaea</i>)	Target # - car park Target # - footpath Target # - road - Occupancy - Frequent(3). - Not practical to move the target. - Not Practical to restrict access to the target zone.	Crown Size: Medium. Crown Density: Normal. Interior Branches: Major deadwood. Pruning history - Pollard. Minor deadwood in crown. Epicormic growth.	Fair	High	25-Mar-2026	3 Years	Remove the deadwood from the crown. Timescale: 25-Jun-2026 (3 Months)			
T4	European lime (<i>Tilia x europaea</i>)	Target # - car park Target # - footpath Target # - road - Occupancy - Frequent(3). - Not practical to move the target. - Not Practical to restrict access to the target zone.	Crown Size: Medium. Crown Density: Normal. Interior Branches: Major deadwood. Pruning history - Pollard.	Fair	High	25-Mar-2026	3 Years	Remove the deadwood from the crown. Timescale: 25-Jun-2026 (3 Months)			
T5	European lime (<i>Tilia x europaea</i>)	Target # - car park Target # - footpath Target # - road - Occupancy - Frequent(3). - Not practical to move the target. - Not Practical to restrict access to the target zone.	Crown Size: Medium. Crown Density: Normal. Interior Branches: Major deadwood, and a large dead snapped branch caught up in the crown. Pruning history - Pollard.	Fair	High	25-Mar-2026	3 Years	Remove the deadwood from the crown. Remove the snapped branch caught up in the crown. Timescale: 25-Jun-2026 (3 Months)			
T6	European lime (<i>Tilia x europaea</i>)	Target # - car park Target # - footpath Target # - road - Occupancy - Frequent(3). - Not practical to move the target. - Not Practical to restrict access to the target zone.	Crown Size: Medium. Crown Density: Normal. Interior Branches: Major deadwood. Pruning history - Pollard.	Fair	High	25-Mar-2026	3 Years	Remove the deadwood from the crown. Timescale: 25-Jun-2026 (3 Months)			
T7	European lime (<i>Tilia x europaea</i>)	Target # - car park Target # - footpath Target # - road - Occupancy - Frequent(3). - Not practical to move the target. - Not Practical to restrict access to the target zone. Target # - building	Crown Size: Large. Crown Density: Normal. Interior Branches: Major deadwood. Pruning history - Pollard. Branches close to the roof.	Good	Moderate	25-Mar-2026	3 Years	Remove the deadwood from the crown. Prune back lateral branches to provide approximately 3 metres clearance from the roofline of the adjacent property. Works to include selective reduction of encroaching limbs only, maintaining the natural shape and balance of the crown. All pruning cuts to be made to suitable growth points. Timescale: 25-Jun-2026 (3 Months)			

Ref.	Species	Description	Survey Notes	Condition	Risk Rating	Inspected	Inspect Period	Recommendations	Photo	Photo	Photo
T8	Cherry plum (<i>Prunus cerasifera</i>)	Target # - building Target # - bench - Could possibly move the target. - Could possibly restrict access to the target zone. Close to telephone line	Crown Size: Medium. Crown Density: Normal. Interior Branches: Some deadwood. Minor deadwood in the crown. Fungal brackets on scaffold limbs (Phellinus turberculosus) Branches touching the window.	Fair	Moderate	25-Mar-2026	3 Years	Prune back branches to provide approximately 2 metres of clearance from the window/building. Works to include selective reduction of only encroaching limbs, retaining the natural shape and balance of the crown. All pruning cuts to be made to suitable growth points Remove the deadwood from the crown. Timescale: 25-Jun-2026 (3 Months)			