




side elevation s.e.




front elevation n.e.




side elevation n.w.



block plan
1:500



section a-a



INSULATION:- (CELOTEX TUFF-R GA3000 BOARDS)


WALLS:- PLASTER BOARD & SKIM ON 12mm CELOTEX INSULATION OVER FACE OF 89x100mm STUDS. TAPE JOINTS & APPLY SILICON SEALANT TO PERIMETERS. INSERT 50mm CELOTEX, BACK FACE OF INSULATION FLUSH WITH BACK FACE OF STUDS. CREATING 35mm AIR SPACE BETWEEN SHEETS OF INSULATION

SLOPING CEILINGS:- BUILD OUT UNDERSIDE of RAFTERS WITH 25x50 BATTENS, INSERT 100mm CELOTEX BETWEEN RAFTERS MAINTAINING 50mm AIR SPACE BETWEEN TOP OF INSULATION & UNDERSIDE OF FELT. APPLY 40mm CELOTEX UNDER RAFTERS, TAPE JOINTS & APPLY SILICON SEALANT TO PERIMITERS. APPLY PLASTER BOARD & SKIM.

HORRIZONTAL CEILINGS:-

LAY 100mm MINERAL WOOL BETWEEN CEILING JOISTS & LAY 160mm MINERAL OVER.

section b-b



first floor plan

PROPOSED REMODELLING OF DORMER
2 THE PADDOCK
MERRYLEES ROAD
THORNTON
LEIC'S

DEVELOPMENT SERVICES
0 2 OCT 2007
RECEIVED

Date :- SEPT. 07
Scale :- 1:50 & 1:100
Drw. No.:- 6/PMER/01/07

PETER GODDARD
Building Design & Technical Service
Manor Farm Cottage
Main Street
Bottesford
Leicester
LE14 4FF
Telephone 01455 824583