

ACOUSTIC SCREEN

Details by specialist contractor:

Hales Sawmills Limited
Market Drayton,
Shropshire.
TF9 2PP

Tel: 01630 653359

Reflective Sound Screens

PLEASE NOTE:

Structural calculations may be required by qualified persons. No responsibility can be accepted by using this design without professional advice.

Design in accordance with Specification for Highway Works Clause 2504. Treatment to sector scheme 4.



Reflective sound screen fitted to timber posts (for illustration purposes only). Steel posts can be an alternative.

Height of sound screen variable to suit specific locations. Post centres at 3.0m unless otherwise specified.

Conforms and tested to BS EN 1793, also tested and complies with BS EN 1794-1 and BS EN 1794-2.

Complies with Highways Sector scheme 2C for the prefabrication of environmental barriers.

Average density 26.4 kg/m² (excluding posts).



CLIENT **ALDI STORES LIMITED**

PROJECT **WATLING ST, HINCKLEY**

TITLE **ACOUSTIC TIMBER FENCE**



STOAS
ARCHITECTS

THE LODGE - COLESHILL MANOR - BIRMINGHAM - B46 1DL - TEL 0121 747 1943
1 DUNSTON PLACE - DUNSTON ROAD - CHESTERFIELD - S41 8NL - TEL 01246 389 860

SCALE **1:20 @ A4** DRAWN **SI**

DATE **08.08.2023** CHECKED **SPK**

NORTH DWG No.

REV

AD5305