

This drawing has been prepared in accordance with BS 5837:2012.

This drawing is intended to be printed and used in colour only, and for no purpose other than the consideration of trees in accordance with BS 5837.

BS5837:2012 Cascade chart for tree quality assessment

Category & Definition	Criteria (including subcategories where appropriate)	Identification on plan
Types unusable for retention Category U	- Types that are irreversible, transitory or ephemeral and that their early loss is expected to lead to irreplaceable impacts that will be disproportionately severe relative to the benefits of retention. - Types that will become obsolete after removal of other Category U types (e.g. trees, for example, whose loss will be disproportionate to the benefits of removal). - Types with such pathologies of decay or damage that they are irreparable, irreversible, and irreplaceable under the current management plan. - Types that are dead or deadly and that are not expected to be replaced by other healthy or young quality trees.	 Red spot on RGL 127.00
Types to be considered for retention	- Many potentially valuable qualities - Many material qualities - Many cultural values, including conservation	
Types of high quality with an estimated remaining life expectancy of at least 40 years Category E	- Types that are particularly good exemplars of their species or of their form or of their function or of their value. - Types that are highly valued for their potential form, historical significance, or for their potential form, historical significance, or for their potential form, historical significance (e.g. the dominant architectural features like a dome).	 Light Green RGL 355.00
Types of moderate quality with an estimated remaining life expectancy of at least 20 years Category B	- Types that may be degraded but included in category B as they are not deteriorated beyond the point of repair or replacement. - Types that are preserved in good or excellent condition through management and storm damage, such that they are expected to be suitable for retention for beyond 40 years, or trees whose the spatial quality increases in time the category A designation.	 Medium Green RGL 1,000.00
Types of low quality with an estimated remaining life expectancy of less than 20 years Category C	- Types that are not deteriorated beyond the point of repair or replacement. - Types that are preserved in good or excellent condition through management and storm damage, such that they are expected to be suitable for retention for beyond 40 years, or trees whose the spatial quality increases in time the category A designation.	 Dark Green RGL 1,001.00

KEY

- 
-  Root Protection Area (RPA)
 Tree Stem
 T1 Tree No.
 Tree to be removed
 Tree to be pruned

Rev	Details	Date	Checked By
-----	---------	------	------------

Drawing Number	AEL-19258
----------------	-----------



Apex Environmental Ltd
3 Lawrence Way, Lichfield, WS13 6RD

TEL. 0121 249 1235
e-mail. info@ael-treeconsultants.co.uk
web: www.ael-treeconsultants.co.uk

Client	OS Holdings LTD
--------	-----------------

Project Land off Church Road, Witherley, Leicestershire

Title	TWP - Tree Work Plan
-------	----------------------

Scale	Date	Drawn	Checked	Drawing No.	Rev
1:250	19/06/2026	RJH			A

This report is the copyright of Apex Environmental Ltd. Any unauthorised reproduction or usage by any person other than the addressee and LPA is strictly prohibited.

Tree reference number	Species	Category grading	Works required	For Development	For Arboriculture	Comments
G03	Sycamore x9 (<i>Acer pseudoplatanus</i>)	C2	Remove group of self set trees	Yes		

