
From: public.access@hinckley-bosworth.gov.uk
Sent: 24 September 2025 10:12
To: Planning Application Comments
Subject: Consultee Comments for Planning Application 25/00811/TPO

Consultee comments

Dear Sir/Madam,

A consultee has commented on a Planning Application. A summary of the comments is provided below.

Comments were submitted at 24/09/2025 10:11 AM from Simon Green (simon.green@hinckley-bosworth.gov.uk) on behalf of Arboricultural Officer.

Application Summary

Reference:	25/00811/TPO
Address:	1 Spinney Close Groby Leicester Leicestershire LE6 0BY
Proposal:	T8 Ash - Remove cr Reason - Weak union at base, potential for failure. cr T9 Ash - Crown reduce by 30% approximately 4m from tips. Remove Northern lead to 1.5m stub. cr Reason - Reduce wind loading if adjacent tree is removed. Prevent failure due to canker and decay. cr T10 Ash - Remove cr Reason - Multiple Innonotus hispidus infection points which are likely failure points. (Safety)
Case Officer:	Rudi Simpson

[Click for further information](#)

Comments Details

Comments:	I am satisfied that there is sufficient justification for the removal of trees T8 and T10, along with a significant reduction of approximately four metres to the crown of T9. The trees to be removed must be replaced with container-grown standards, each in a pot with a minimum volume of 35 litres. It is acknowledged that replanting directly on the original positions may not be feasible due to the compact nature of the tree group. Therefore, the replacement specimens should be sited in the nearest suitable locations, outside of the existing crowns and driplines. In order to appropriately reflect the value and contribution of the felled trees, I recommend the planting of one Field Maple (<i>Acer campestre</i>) and one Pedunculate Oak (<i>Quercus robur</i>).
-----------	--

Kind regards