



Hydro-Brake Chamber Manhole S71 - Plan View



Hydro-Brake Chamber Manhole S71 Section View



GENERAL NOTES:

1. DO NOT SCALE THIS DRAWING. FOR DISCREPANCIES OR OMISSIONS CONTACT THE ENGINEER PRIOR TO WORK COMMENCES.
2. MATERIALS AND WORKMANSHIP ARE TO COMPLY IN ALL RESPECTS WITH CURRENT PROJECT SPECIFICATIONS, CURRENT CODES OF PRACTICE, AND BUILDING REGULATIONS.
3. THE COPYRIGHT OF THIS DRAWING IS VESTED IN THE ENGINEER AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
4. THE CONTRACTOR IS TO CHECK AND VERIFY ALL BUILDING AND SITE DIMENSIONS, LEVELS AND SLOPE INVERT LEVELS AT CONNECTION POINTS BEFORE WORK COMMENCES.
5. THIS DRAWING IS TO READ IN CONJUNCTION WITH ALL RELEVANT SPECIFICATIONS AND DRAWINGS ISSUED BY THE ENGINEER, ARCHITECT AND OTHER DESIGN DISCIPLINES.
6. ALL RETAINING WALL HEIGHTS ARE IN MILLIMETERS.
7. ALL UNITS ARE IN METRIC UNITS UNLESS SPECIFICALLY STATED OTHERWISE.

ESP SECTION 104 NOTES:

1. ALL ADAPTABLE SEWER WORKS AND MATERIALS TO BE IN ACCORDANCE WITH DESIGN AND CONSTRUCTION GUIDANCE, CODE FOR ADOPTION, THE RELEVANT BEST EUROPEAN STANDARDS
2. SEWERS TO BE Laid IN CLASS 8 BEDDING (150MM GRANULAR BED AND SURROUND), WHERE DEPTH OF COVER TO TOP OF THE SOWER IS LESS THAN 1.2M. WHERE DEPTH OF COVER IS GREATER THAN 1.2M, A MINIMUM 150MM GRANULAR AREAS) THEN A CONCRETE SLAB MUST BE PROVIDED ABOVE THE GRANULAR BED AND SURROUND.
3. ADAPTABLE PLASTIC SEWER PIPES TO BE ITEMATERKED (CERTIFIED TO BS 4350-1 AND BS EN 13476). ADAPTABLE SEWER PIPES TO BE Laid IN MAXIMUM 3M LENGTHS UNLESS OTHERWISE SPECIFIED. AGRADIENT NEW TO DRAIN LARGER
4. PLASTIC CHAMBER, SECTIONS IN MANHOLES ARE NOT ACCEPTABLE AND CLAY WARE IS TO BE USED IF REQUIRED.
5. THE UNDERTAKER IS NOT OBLIGED TO ACCEPT FILTER DRAIN/LAND DRAINAGE RUNOFF INTO THE ADAPTABLE SEWER NETWORK.

A	Notation amended following LLFA comments	24.07.25	JA	RAA
Rev	Description	Date	By	Chkd

Bellway

Org Status: Preliminary					
Client Name: BELLWAY EAST MIDLANDS					
Project Name: RATBY					
Drawing Title: HydroBrake Construction Details S71					
Scale:	Size:	First Issue Date:	Issue:	Check:	
1:20	A1	May 2024	JA	RA	
Project No:		Drawing No:	Rev:		
RED165		441	A		

RED

RESIDENTIAL ENGINEERING DESIGNS LTD
Quay House, The Waterfront, Level Street, Brierley Hill, DY5 1XD
Tel: 01384 210860 | Email: admin@redcivils.com | Web: www.redcivils.com
© This drawing is the copyright of Residential Engineering Design Ltd