

Market Bosworth School

Routine											
	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	19	Common Lime	21.0m	12.0m	Cat E	Mature	Hazard: Footpath under crown Hazard - Junction Hazard - Road Under Crown Hazard - Telephone Cable (Wire)	Crown - Low Branches Crown - Major Deadwood >100mm - X1 piece, stubby internal. Crown - Minor Deadwood < 100mm Fair Trunk - Epicomics/suckers	Remove Basal Growth	Routine	Remove basal epicormic growth as part of routine maintenance.
						Sub-total:	1 trees/groups				
No action required											
	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	79	English Oak	6.0m	3.0m	Cat B	Semi-Mature	Hazards - Bank / Slope / Terrain / Gradient	Good	None recorded..	No action required	
●	80	English Oak	3.0m	3.0m	Cat A	Semi-Mature	Hazards - Bank / Slope / Terrain / Gradient	Good Trunk - Forked Trunk	None recorded..	No action required	
●	2	Horse Chestnut	8.0m	8.0m	Cat C	Semi-Mature	Growing In - Mown Grass	Crown - Crossing Branches Crown - Minor Deadwood < 100mm Fair	None recorded..	No action required	
●	3	Variegated Holly	7.0m	5.0m	Cat B	Semi-Mature	Hazards - Adj. Building - within 1m Growing In - Shrub Bed	Good Trunk - Leaning - Correction in crown.	None recorded..	No action required	
●	5	Dogwood spp	5.0m	8.0m	Cat B	Middle-Aged	Hazards - Adj. Building - within 1m Hazard - Overhangs Property/Garden	Crown - Branch Decay Crown - Branch wounds Crown - Poor pruning/old stubs Fair Trunk - Minor Trunk Decay Trunk - Multi-stemmed	None recorded..	No action required	
●	7	Jacquemont's Birch	9.0m	8.0m	Cat C	Mature	Growing In - Mown Grass	Good	None recorded..	No action required	
●	8	Corsican Pine	18.0m	9.0m	Cat D	Mature	Growing In - Mown Grass Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Thin foliage - Possibility of a needle blight. Good Trunk - Forked Trunk	None recorded..	No action required	
●	9	Corsican Pine	18.0m	10.0m	Cat D	Mature	Adjacent - Private garden Growing In - Mown Grass	Crown - Minor Deadwood < 100mm Fair Trunk - Forked Trunk	None recorded..	No action required	
●	10	Corsican Pine	11.0m	7.0m	Cat C	Mature	Hazard: Footpath under crown Hazard - Road Under Crown Hazard - Street Light	Crown - Asymmetric Crown Crown - Minor Deadwood < 100mm Fair Trunk - Leaning - Slight.	None recorded..	No action required	Low branches over highway, crown lift at PO request.

Market Bosworth School ...(contd)..

No action required ...(contd)..

	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	11	Corsican Pine	18.0m	10.0m	Cat D	Mature	Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Thin foliage - Possibly a needle blight. Good Trunk - Forked Trunk	None recorded..	No action required	
●	12	Scots Pine	9.0m	6.0m	Cat C	Middle-Aged	Hazards - Bank / Slope / Terrain / Gradient Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Asymmetric Crown Crown - Suppressed Crown - Tearout wound - Historic. Fair	None recorded..	No action required	
●	13	Japanese Maple	5.0m	8.0m	Cat B	Middle-Aged	Hazards - Adj. Building - within 1m Growing In - Shrub Bed Hazard - Overhangs Property/Garden	Crown - Branch Cavities Crown - Crossing Branches Good Trunk - Multi-stemmed	None recorded..	No action required	
●	14	Common Holly	6.0m	5.0m	Cat B	Mature	Hazards - Adj. Building - within 2m Growing In - Shrub Bed	Good	None recorded..	No action required	
●	16	Austrian Pine	15.0m	10.0m	Cat D	Mature	Hazards - Bank / Slope / Terrain / Gradient Hazard: Footpath under crown Hazard - Junction Hazard - Road Under Crown	Crown - Minor Deadwood < 100mm Crown - Over extending lateral limbs Crown - Thin foliage - Possibility of a needle blight. Good	None recorded..	No action required	Reduce overhangs to carriageway at PO request.
●	22	Silver Birch	20.0m	12.0m	Cat D	Mature	Services - Adj. Overhead Utilities Adjacent - Parking area Hazard - Car Parking Hazard: Footpath under crown Hazard - Junction Hazard - Telephone Cable (Wire) Services - Telecom	Crown - Minor Deadwood < 100mm Crown - Previous crown lift Fair	None recorded..	No action required	
●	23	Silver Birch	20.0m	13.0m	Cat E	Mature	Adjacent - Entrance Adjacent - Road Services - Adj. Underground Utilities Hazard - Car Parking Hazard - Entrance Hazard: Footpath under crown Hazard - Junction Hazard - Road Under Crown Services - Gas Services - Sub-Station	Crown - Cankers Crown - Minor Deadwood < 100mm Fair Trunk - Minor Trunk Decay Trunk - Occluded wound Trunk - Slime Flux Trunk - Trunk Cavity - Minor, prone ingress10cm with solid material surrounding, some bacterial staining at this location.	None recorded..	No action required	No safety issues at present. Some minor trunk decay noted at base of tree. Keep under observation for any signs of further deterioration. Consider crown reduction on next inspection.

Market Bosworth School ...(contd)..

No action required ...(contd)..

	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	25	Sycamore	15.0m	11.0m	Cat D	Middle-Aged	Hazard - Car Parking Hazard: Footpath under crown Hazard - Street Light	Crown - Minor Branch Dieback Crown - Minor Deadwood < 100mm Fair Trunk - Forked Trunk Trunk - Occluded wound	None recorded..	No action required	Tree is showing signs of decline.
●	28	Austrian Pine	14.0m	11.0m	Cat D	Mature	Adjacent - Entrance Hazard - Car Parking Hazard - Entrance Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Broken Hanging Branches - x1 still atatched and stable within crown, resting on adjacent branch. Crown - Major Deadwood >100mm - x1 piece, stubby internal Fair	None recorded..	No action required	
●	29	Silver Birch	12.0m	10.0m	Cat D	Mature	Adjacent - Entrance Adjacent - Parking area Hazard - Car Parking Hazard - Entrance Hazard - Junction Hazard - Road Under Crown Hazard - Street Light	Crown - Branch Decay Crown - Branch Cavities - Mostly at old pruning points. Crown - Cankers Crown - Minor Deadwood < 100mm Crown - Previous crown lift Badly-pruned Fair Trunk - Forked Trunk	None recorded..	No action required	No safety issues at present. However, tree does appear to be in decline recommended for crown reduction.
●	30	Corsican Pine	15.0m	11.0m	Cat D	Mature	Adjacent - Entrance Hazard - Car Parking Hazard - Entrance Hazard: Footpath under crown Hazard - Junction Hazard - Road Under Crown Hazard - Street Light	Crown - Minor Deadwood < 100mm Crown - Thin foliage - Possibly a needle blight. Good Trunk - Ivy/Climber - Minor.	None recorded..	No action required	Sever ivy at base of tree as part of routine maintenance.
●	31	Horse Chestnut	14.0m	13.0m	Cat E	Mature	Hazard - Car Parking Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Branch Decay Crown - Minor Deadwood < 100mm Crown - Previous crown lift Crown - Poor pruning/old stubs Crown - Previous crown reduction Badly-pruned Fair Trunk - Ivy/Climber - Minor. Trunk - Epicomics/suckers	None recorded..	No action required	
●	32	Large-leaved Lime	25.0m	12.0m	Cat E	Mature	Hazard - Car Parking Hazard - Entrance Hazard: Footpath under crown Hazard - Road Under Crown	Crown - Major Deadwood >100mm - X1 piece, stubby internal. Fair Trunk - Ivy/Climber Trunk - Forked Trunk Trunk - Minor Trunk Decay Trunk - Occluded wound	None recorded..	No action required	

Market Bosworth School ...(contd)..

No action required ...(contd)..

	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	33	Silver Birch	16.0m	11.0m	Cat D	Middle-Aged	Hazard - Entrance Hazard: Footpath under crown Hazard - Telephone Cable (Wire)	Crown - Poor pruning/old stubs Fair Roots - Surface Root Damage Trunk - Forked Trunk Trunk - Minor Trunk Decay	None recorded..	No action required	
●	34	Silver Birch	13.0m	8.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard - Entrance Hazard: Footpath under crown	Crown - Minor Branch Dieback Crown - Minor Deadwood < 100mm Crown - Previous crown lift Crown - Poor pruning/old stubs Fair Trunk - Ivy/Climber Trunk - Minor Trunk Decay Trunk - Poor Pruning Wound Trunk - Partially occluded wound Trunk - Surface Bark Wound	None recorded..	No action required	
●	35	Silver Birch	15.0m	8.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard - Entrance Hazard: Footpath under crown	Crown - Branch Decay Crown - Minor Branch Dieback Crown - Minor Deadwood < 100mm Crown - Previous crown lift Fair	None recorded..	No action required	
●	36	Silver Birch	11.0m	9.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Asymmetric Crown Crown - Minor Branch Dieback Crown - Minor Deadwood < 100mm Crown - Previous crown lift Poor Trunk - Minor Trunk Decay	None recorded..	No action required	
●	37	Silver Birch	14.0m	8.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Previous crown lift Crown - Poor pruning/old stubs Fair	None recorded..	No action required	
●	38	Silver Birch	19.0m	10.0m	Cat D	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Previous crown lift Fair	None recorded..	No action required	

Market Bosworth School ...(contd)..

No action required ...(contd)..

	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	39	Silver Birch	10.0m	8.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Asymmetric Crown Crown - Branch Decay - At old pruning points. Crown - Minor Deadwood < 100mm Crown - Previous crown lift Crown - Poor pruning/old stubs Crown - Stress Cracks Crown - Vehicle impact damage Badly-pruned Fair Trunk - Forked Trunk	None recorded..	No action required	
●	40	Silver Birch	14.0m	9.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Over extending lateral limbs Crown - Previous crown lift Fair Trunk - Forked Trunk Trunk - Minor Trunk Decay Trunk - Partially occluded wound Trunk - Surface Bark Wound	None recorded..	No action required	
●	41	Silver Birch	14.0m	8.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Branch Dieback Crown - Minor Deadwood < 100mm Crown - Previous crown lift Fair Trunk - Forked Trunk Trunk - Minor Trunk Decay Trunk - Partially occluded wound Trunk - Trunk Cavity - Probe ingress 20cm, sound material surrounding. Trunk - Surface Bark Wound	None recorded..	No action required	
●	42	Silver Birch	13.0m	7.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Previous crown lift Fair Trunk - Forked Trunk Trunk - Minor Trunk Decay - At old pruning points.	None recorded..	No action required	
●	43	Silver Birch	16.0m	8.0m	Cat C	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Previous crown lift Fair	None recorded..	No action required	
●	44	Silver Birch	17.0m	9.0m	Cat D	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Fair Trunk - Basal Decay Trunk - Minor Trunk Decay	None recorded..	No action required	

Market Bosworth School ...(contd)..

No action required ...(contd)..


	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	45	Silver Birch	17.0m	9.0m	Cat D	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Previous crown lift Fair Trunk - Epicomics/suckers Trunk - Trunk Cavity	None recorded..	No action required	
●	47	Silver Birch	18.0m	9.0m	Cat D	Middle-Aged	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Over extending lateral limbs Crown - Previous crown lift Fair Trunk - Ivy/Climber - Minor.	None recorded..	No action required	
●	48	Horse Chestnut	13.0m	7.0m	Cat C	Mature	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Previous crown lift Badly-pruned Fair Trunk - Forked Trunk Trunk - Minor Trunk Decay	None recorded..	No action required	
●	53	Silver Birch	8.0m	8.0m	Cat C	Mature	Growing In - Hedgerow Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Fair	None recorded..	No action required	Tree is fenced out limiting observations.
●	54	Silver Birch	9.0m	6.0m	Cat C	Mature	Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Previous crown lift Crown - Poor pruning/old stubs Crown - Tearout wound - X2 upper crown, historic. Badly-pruned Fair Trunk - Minor Trunk Decay Trunk - Surface Bark Wound	None recorded..	No action required	
●	69	Common Ash	10.0m	10.0m	Cat C	Semi-Mature	Adjacent - Private garden Hazard - Boundary Wall/Fence Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Fair Trunk - Minor Trunk Decay Trunk - Occluded wound	None recorded..	No action required	
●	70	Silver Maple	11.0m	12.0m	Cat B	Semi-Mature	Adjacent - Private garden Hazard - Boundary Wall/Fence Hazard: Footpath under crown Hazard - Overhangs Property/Garden	Crown - Minor Deadwood < 100mm Fair	None recorded..	No action required	
●	71	Common Ash	8.0m	9.0m	Cat C	Mature	Hazard: Footpath under crown	Crown - Asymmetric Crown Crown - Branch wounds Crown - Minor Deadwood < 100mm Crown - Suppressed Good	None recorded..	No action required	


Market Bosworth School ...(contd)..

No action required ...(contd)..

	Tree Id	Common name	Height	Spread	Size Cat	Age Class	Site features	Conditions	Recommendations	Priority	Comments
●	72	Silver Maple	12.0m	9.0m	Cat D	Mature	Adjacent - Private garden Hazard - Boundary Wall/Fence Hazard: Footpath under crown Hazard - Overhangs Property/Garden	Crown - Minor Deadwood < 100mm Good Trunk - Forked Trunk Trunk - Rib	None recorded..	No action required	
●	73	Common Ash	13.0m	8.0m	Cat C	Semi-Mature	Hazard: Footpath under crown	Crown - Minor Deadwood < 100mm Crown - Suppressed Fair	None recorded..	No action required	
●	74	Silver Maple	11.0m	9.0m	Cat D	Mature	Adjacent - Private garden Hazard - Boundary Wall/Fence Hazard: Footpath under crown Hazard - Overhangs Property/Garden	Crown - Minor Deadwood < 100mm Good Trunk - Epicomics/suckers	None recorded..	No action required	
■	G1	Mixed Broad/Conifers	10.0m	7.0m	Cat C	Semi-Mature	Services - Adj. Overhead Utilities Adjacent - Parking area Hazard - Boundary Wall/Fence Hazard - Car Parking Hazard - Other - Track at back of group. Hazard - Power Cable (Wire) - 11KV termination pole and stay wires on edge of group. Services - Electricity	Crown - Low Branches Crown - Major Deadwood >100mm Crown - Minor Deadwood < 100mm Dead Fair Good	None recorded..	No action required	
■	G2	Mixed Broad/Conifers	11.0m	7.0m	Cat C	Semi-Mature	Hazard - Boundary Wall/Fence Hazard - Other - Access track.	Crown - Low Branches Crown - Major Deadwood >100mm Crown - Minor Deadwood < 100mm Dead - Some standing dead and wind blown stems. Fair Good	None recorded..	No action required	Some low branches over access track, recommended for crown lift.
						Sub-total:	47 trees/groups				
						Total:	48 trees/groups				
Notes:-											
Overall total:						48 trees/groups		-			







 Leicestershire County Council	Market Bosworth School - Tree Schedule		Scale	Unknown	
	Market Bosworth School - No action required		Date	13/12/2024	
	Reproduced from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationery Office. (c) Crown Copyright Reserved. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings.				