












Mini Weymouth 44mm





Mini Weymouth 44mm

Mini Weymouth 44mm







5 pos. ~ 13 meters




Mini Weymouth 44mm





Mini Weymouth 44mm












Mini Weymouth 44mm






















AD=BC


Mini Weymouth 44mm		400x300 cm			BE 2021	Date
		44mm 2021.12.21				
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		2790	40	100	1	2
		3590	40	100	2	2
		3590	40	55/60	3	5






Mini Weymouth 44mm		400x300 cm			BE 2021	Date
		44mm 2021.12.21				
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		1290	45	130	6	6
		3000	45	65	9	2
		4000	45	130	15	15 + 1 extra








Mini Weymouth 44mm		400x300 cm			BE 2021	Date
		44mm 2021.12.21				
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		1290	45	130	6	6
		344	45	130	7	24
		226	45	130	8	24
		3000	45	65	9	2
		3000	45	130	10	4
		3000	45	130	11	2
		1636	45	130	12	22
		644	45	130	13	22





Mini Weymouth 44mm		400x300 cm			BE 2021	Date
		44mm	2021.12.21			
Degree < 79°	Dimensions, mm			Pos.	Quantity	
	A	B	C			
	1420	1950		29	1	
	720	1560		30	4	




Mini Weymouth 44mm		400x300 cm			BE 2021	Date
		44mm 2021.12.21				
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		3000	45	130	14	2
		4200	45	195	16	2







Mini Weymouth 44mm		400x300 cm		BE 2021	Date
		44mm	2021.12.21		
Degree < 79°	Dimensions, mm			Pos.	Quantity
	A	B	C		
	3000	396		F-2,4	2




*screws not included




Mini Weymouth 44mm		400x300 cm		BE 2021	Date	
		44mm	2021.12.21			
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		4200	44	140	17	2
		4200	44	140	18	1




Mini Weymouth 44mm




*screws not included






Mini Weymouth 44mm		400x300 cm			BE 2021	Date
		44mm				
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		1630	19	100/86	19	84/98 +1 extra
						


If the last board needs
to be placed lengthwise cut









Mini Weymouth 44mm













Mini Weymouth 44mm		400x300 cm		BE 2021	Date
		44mm 2021.12.21			
Degree < 79°	Dimensions, mm			Pos.	Quantity
	A	B	C		
	1456	820		25	2
	1523	276		26	1



Mini Weymouth 44mm		400x300 cm			BE 2021	Date
		44mm 2021.12.21				
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		1736	28	130	20	4
		200	100		22	3
		1736	19	40	23	4



Mini Weymouth 44mm			400x300 cm		BE 2021	Date
			44mm	2021.12.21		
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		4200	28	130	21	2
		4200	40	40	24	2
		969	28	100	27	2
		969	19	40	28	2




nails not included







If the last board needs
to be placed lengthwise cut










Mini Weymouth 44mm			400x300 cm			BE 2021	Date
Degree < 79°			44mm				
			2021.12.21				
Dimensions, mm			Pos.			Quantity	
A			B				C
2702			28				
100/130			4				
38/30 +1 extra			~ 13 meters				

- 1.Expansion braces should be fitted internally for ease of adjustment
2. The bolt head should be external, the nut internal
3. Once the cabin has been completely erected, do not over tighten – hand tight is sufficient – in order to allow timbers to expand & contract.



Door and window extra part above is longer
must be cut in the construction site

Mini Weymouth 44mm			400x300 cm		BE 2021	Date
			44mm 2021.12.21			
Degree < 79°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		1880	19	40	31	4
		1520	45	28	32	2
		820	45	28	33	8

Mini Weymouth 44mm		400x300 cm
		44mm2021.12.21
3.5x35 mm  x90	5x80 mm  x8	6x150 mm  x18
2.5x50 mm  x600	8x60 mm  x8	M8  x8
 x1	 x4	M8  x8