



- 1. DO NOT SCALE.
- 2. This drawing is to be read in conjunction with all other relevant drawings and details.
- 3. Should there be any conflict between the details indicated on this drawing and those on other drawings the Engineer should be informed PRIOR to construction on site.
- 4. Until technical approval has been obtained from the relevant Authority, it should be understood that all drawings issued are Preliminary and NOT for construction. Should the Contractor commence site work prior to such approval being given it is entirely at their own risk.
- 5. Sketch proposals are for illustrative purposes only and as such are subject to detailed site investigation including ground conditions / contaminants, drainage, design and planning / design negotiations.
- 6. All dimensions are in millimetres unless otherwise stated.
- 7. The Farrow Walsh Designers Risk Assessments for this project must be reviewed PRIOR to the commencement of any work on site.

Development Boundary

300mm Dia. Inspection Chamber (foul only)
(max. 750mm depth, max 3 upstream connections)

450mm Dia. Inspection Chamber
(max. 3.0m depth, max. 5 upstream connections)

1200mm Dia. Inspection Chamber

Private Surface Water

Private Foul Water

S104 Surface Water Drainage

S104 Foul Water Drainage

Rodding Eye (Storm Only)

farrow
walsh

62 Highcross Street, Leicester LE1 4NN
321 Bradford Street, Birmingham B5 6ET

 0330 100 0363

www.farrowwalsh.com

Client: **Jelson LTD**

Drawing No.
FW2127-C-003-05

A1

DEMOLITION RISKS

NONE RELEVANT TO THIS DRAWING