


Historical Aerial Photography

Published 1999

This aerial photography was produced by Geomapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A13



Order Details

Order Number: 306633563_1_1
Customer Ref: WIE19831
National Grid Reference: 442930, 293750
Slice: A
Site Area (Ha): 0.96
Search Buffer (m): 100


Site Details

Hinckley & District Hospital, Mount Road, HINCKLEY, LE10 1AG

Bedrock Aquifer Designation



Site Sensitivity Context Map - Slice A



Order Details

Order Number: 306633563_1_1
Customer Ref: WIE19831
National Grid Reference: 442930, 293750
Site: A
Site Area (Ha): 0.96
Search Buffer (m): 1000


Site Details

Hinckley & District Hospital, Mount Road, HINCKLEY, LE10 1AG

Superficial Aquifer Designation



Site Sensitivity Context Map - Slice A



Order Details

Order Number: 306833563_1_1
Customer Ref: WIE19831
National Grid Reference: 442930, 293750
Slice: A
Site Area (Ha): 0.96
Search Buffer (m): 1000


Site Details

Site Details
Hinckley & District Hospital, Mount Road, HINCKLEY, LE10 1AG

Source Protection Zones



Site Sensitivity Context Map - Slice A



Order Details

Order Number: 306633563_1_1
 Customer Ref: WIE19831
 National Grid Reference: 442930, 293750
 Slice: A
 Site Area (Ha): 0.96
 Search Buffer (m): 1000


Site Details

Hinckley & District Hospital, Mount Road, HINCKLEY, LE10 1AG

Sensitive Land Uses



Site Sensitivity Context Map - Slice A



Order Details

Order Number: 306633563_1_1
 Customer Ref: WIE19831
 National Grid Reference: 442930, 293750
 Slice: A
 Site Area (Ha): 0.96
 Search Buffer (m): 1000


Site Details

Hinckley & District Hospital, Mount Road, HINCKLEY, LE10 1AG

BGS Flood GFS Data



Site Sensitivity Context Map - Slice A



Order Details

Order Number: 306633563_1_1
 Customer Ref: WIE19831
 National Grid Reference: 442930, 293750
 Slice: A
 Site Area (Ha): 0.96
 Search Buffer (m): 1000

Site Details

Hinckley & District Hospital, Mount Road, HINCKLEY LE10 1AG

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

306633563_1_1

Customer Reference:

WIE19831

National Grid Reference:

442930, 293750

Slice:

A

Site Area (Ha):

0.96

Search Buffer (m):

1000

Site Details:

Hinckley & District Hospital, Mount Road

HINCKLEY

LE10 1AG

Client Details:

Mr R Panter

Waterman Infrastructure & Environment Ltd

Waterman Group

5th Floor

1 Cornwall Street

Birmingham

West Midlands

B3 2DX

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	29
Hazardous Substances	33
Geological	34
Industrial Land Use	36
Sensitive Land Use	81
Data Currency	82
Data Suppliers	89
Useful Contacts	90

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2023. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2023. © Natural Resources Wales & United Kingdom Research and Innovation 2023.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2023. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1		Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2			4	24
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 8				1
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 9			4	13
Local Authority Pollution Prevention and Control Enforcements	pg 11				1
Nearest Surface Water Feature	pg 11		Yes		
Pollution Incidents to Controlled Waters	pg 11		1	1	13
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 14				1
Water Abstractions	pg 14			1	36 (*6)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 25	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 25	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 25	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 25			5	24

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 29				3
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)	pg 29				1
Licensed Waste Management Facilities (Locations)	pg 29				1
Local Authority Landfill Coverage	pg 29	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 30				4
Potentially Infilled Land (Non-Water)	pg 30			1	2
Potentially Infilled Land (Water)	pg 30			4	30
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites	pg 32				1
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 33				1
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 34	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 34	Yes		Yes	Yes
BGS Recorded Mineral Sites					
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 34	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 34	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 34	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 34	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 36	2	30	80	154
Fuel Station Entries	pg 58			2	4
Points of Interest - Commercial Services	pg 59		5	12	42
Points of Interest - Education and Health	pg 64	3			
Points of Interest - Manufacturing and Production	pg 64		14	48	84
Points of Interest - Public Infrastructure	pg 76			7	24
Points of Interest - Recreational and Environmental	pg 79		1	4	10
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 81	1			1
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (N)	72	1	442950 293900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (NW)	241	1	442700 293950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (W)	246	1	442650 293750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (W)	249	1	442650 293751
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (W)	256	1	442650 293850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SE (SE)	274	1	443100 293450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (S)	279	1	442933 293400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SE (SE)	297	1	443200 293500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NW (W)	305	1	442600 293850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SE (SE)	310	1	443250 293550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13SW (SW)	311	1	442600 293600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (SE)	319	1	443100 293400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (S)	329	1	442900 293350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SE (W)	346	1	442550 293751
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SW (SE)	355	1	443300 293550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SW (NW)	377	1	442650 294100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A14SW (SE)	378	1	443300 293500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (S)	379	1	442933 293300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NE (SE)	402	1	443250 293400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (S)	432	1	442850 293250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (W)	446	1	442450 293750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (W)	448	1	442450 293751

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SW (NW)	448	1	442600 294150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A14SW (SE)	449	1	443400 293550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NE (SE)	498	1	443200 293250
1	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A8NE (S)	391	2	443000 293300
1	Discharge Consents Operator: Severn Trent Water Limited Property Type: Not Given Location: Southfield Road, Surface Water Sewer, HINCKLEY, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: CT/20/03755/O/42 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 27th October 1979 Revocation Date: Not Supplied Discharge Type: Sewerage And Other Matter Discharge - Sewerage And Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8NE (S)	392	2	443005 293300
1	Discharge Consents Operator: Severn Trent Water Limited Property Type: Sewerage Network - Sewers Location: Southfield Rd.sws, Hinckley Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: CT/20/03755/O13 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 27th October 1979 Revocation Date: Not Supplied Discharge Type: Sewerage And Other Matter Discharge - Sewerage And Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8NE (S)	396	2	443000 293295
1	Discharge Consents Operator: Severn Trent Water Limited Property Type: Sewerage Network - Sewers Location: Southfield Rd.sws, Hinckley Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: CT/20/03755/O42 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 27th October 1979 Revocation Date: Not Supplied Discharge Type: Sewerage And Other Matter Discharge - Sewerage And Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8NE (S)	397	2	443005 293295

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A9NW (SE)	511	2	443300 293300
3	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Brookside Hinckley Cso Brookside, Burbage, Hinckley, Leicestershire, Le10 2tq Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/09205/O Permit Version: 1 Effective Date: 22nd December 1983 Issued Date: 22nd December 1983 Revocation Date: 16th November 2017 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A8NE (S)	513	2	442970 293170
3	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Brookside Hinckley Cso Brookside, Burbage, Hinckley, Leicestershire, Le10 2tq Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/09205/O Permit Version: 2 Effective Date: 17th November 2017 Issued Date: 17th November 2017 Revocation Date: 30th March 2018 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A8NE (S)	516	2	442984 293169
3	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Brookside Hinckley Cso Brookside, Burbage, Hinckley, Leicestershire, Le10 2tq Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/09205/O Permit Version: 3 Effective Date: 31st March 2018 Issued Date: 17th November 2017 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A8NE (S)	516	2	442984 293169

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A9NW (SE)	517	2	443400 293400
5	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	543	2	443200 293200
6	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Forest Road Cso Forest Road, ., Hinckley, Leicestershire, Le10 2tj Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/30143/O Permit Version: 1 Effective Date: 30th June 1995 Issued Date: 30th June 1995 Revocation Date: 16th November 2017 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	584	2	443510 293460
6	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: London Road Area, Hinckley, Warwickshire Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/01535/O Permit Version: 1 Effective Date: 30th March 1966 Issued Date: 30th March 1966 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	584	2	443511 293461

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Forest Road Cso Forest Road, ., Hinckley, Leicestershire, Le10 2tj Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/30143/O Permit Version: 2 Effective Date: 17th November 2017 Issued Date: 17th November 2017 Revocation Date: 30th March 2018 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	589	2	443516 293460
6	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Forest Road Cso Forest Road, ., Hinckley, Leicestershire, Le10 2tj Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/30143/O Permit Version: 3 Effective Date: 31st March 2018 Issued Date: 17th November 2017 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A14SW (SE)	589	2	443516 293460
7	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A9NW (SE)	601	2	443500 293400
8	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A8SE (S)	686	2	443000 293000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consents Operator: Severn Trent Water Limited Property Type: Not Given Location: Fletcher Road, Surface Water Sewer, HINCKLEY, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: CT/20/03755/O/43 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 27th October 1979 Revocation Date: Not Supplied Discharge Type: Sewerage And Other Matter Discharge - Sewerage And Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8SE (S)	687	2	443005 293000
8	Discharge Consents Operator: Severn Trent Water Limited Property Type: Sewerage Network - Sewers Location: Fletcher Rd.sws, Hinckley Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: CT/20/03755/O14 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 27th October 1979 Revocation Date: Not Supplied Discharge Type: Sewerage And Other Matter Discharge - Sewerage And Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8SE (S)	691	2	443000 292995
8	Discharge Consents Operator: Severn Trent Water Limited Property Type: Sewerage Network - Sewers Location: Fletcher Rd.sws, Hinckley Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: CT/20/03755/O43 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 27th October 1979 Revocation Date: Not Supplied Discharge Type: Sewerage And Other Matter Discharge - Sewerage And Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8SE (S)	692	2	443005 292995
9	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Hawley Road / Southfield Road Cso Hawley Road / Southfield Road, Hinckley, Leicestershire, Le10 0pr Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/00793/O Permit Version: 2 Effective Date: 16th July 2018 Issued Date: 16th July 2018 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A7SE (SW)	737	2	442478 293075

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Englobe Regeneration Uk Limited Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Brick Kiln Street, Hinckley, Leicestershire, Le10 0na Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: Npswq008079 Permit Version: 2 Effective Date: 2nd April 2012 Issued Date: 2nd April 2012 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Process Water Discharge: Land/Soakaway Environment: Receiving Water: Groundwater Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A12SW (W)	797	2	442099 293688
10	Discharge Consents Operator: Englobe Regeneration Uk Limited Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Brick Kiln Street, Hinckley, Leicestershire, Le10 0na Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: Npswq008079 Permit Version: 1 Effective Date: 17th August 2009 Issued Date: 28th July 2009 Revocation Date: 1st April 2012 Discharge Type: Trade Discharge - Process Water Discharge: Land/Soakaway Environment: Receiving Water: Groundwater Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A12SW (W)	797	2	442099 293688
11	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A8SE (S)	825	2	443200 292900
11	Discharge Consents Operator: Severn Trent Water Limited Property Type: Sewerage Network - Sewers Location: Farm Road Sws, Hinckley Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: CT/20/03755/O44 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 27th October 1979 Revocation Date: Not Supplied Discharge Type: Sewerage And Other Matter Discharge - Sewerage And Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Sketchley Brook Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A8SE (S)	830	2	443200 292895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stapleton Lane Sws, Barwell, Leicestershire Authority: Environment Agency, Midlands Region Catchment Area: River Sence Catchment Reference: T/20/03755/O Permit Version: 1 Effective Date: 27th October 1979 Issued Date: 27th October 1979 Revocation Date: 27th March 2000 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Sibson Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A12SW (W)	896	2	442000 293700
13	Discharge Consents Operator: Mrs J Sanson Property Type: Not Given Location: The Villa, Sansone Woodyard, The Outwoods, HINCKLEY Authority: Environment Agency, Midlands Region Catchment Area: Not Given Reference: WQ/72/1773/1 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 21st April 1978 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge: Groundwater Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A14NE (E)	929	2	443900 293800
14	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Westray Drive Cso Off Westray Drive, Hinckley, ., Leicestershire, Le10 0tl Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/20313/O Permit Version: 1 Effective Date: 9th February 1990 Issued Date: 9th February 1990 Revocation Date: 8th December 2019 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Battling Brook Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Manually corrected supplier location	A17SW (NW)	978	2	441990 294170
14	Discharge Consents Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Westray Drive Cso Off Westray Drive, Hinckley, ., Leicestershire, Le10 0tl Authority: Environment Agency, Midlands Region Catchment Area: Upper Anker Catchment To Confluence With Sence Reference: T/19/20313/O Permit Version: 2 Effective Date: 9th December 2019 Issued Date: 9th December 2019 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Battling Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	982	2	441987 294173
15	Integrated Pollution Controls Name: HJ Sock Group Ltd Location: Coventry Road, HINCKLEY, Leicestershire, LE10 0JX Authority: Environment Agency, Midlands Region Permit Reference: AL7383 Dated: 26th January 1994 Process Type: Application since found to be exempt from IPC Description: Not Given Status: Application since found to be exempt from IPC Positional Accuracy: Unknown	A12SW (W)	696	2	442200 293700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Local Authority Pollution Prevention and Controls Name: All Makes Garage Location: 21 Brunel Road, Hinckley, LE10 0AA Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: EPR-11 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Application Not Yet Authorised Positional Accuracy: Manually positioned to the address or location	A12SE (SW)	386	3	442533 293561
17	Local Authority Pollution Prevention and Controls Name: Leicester Road Service Station Location: 2a Leicester Road, HINCKLEY, Leicestershire, LE10 1LS Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: EPA49 Dated: 14th December 1998 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Manually positioned to the address or location	A18SE (N)	417	3	442987 294243
18	Local Authority Pollution Prevention and Controls Name: Tesco S Station Location: Hawley Road, HINCKLEY, Leicestershire, LE10 0PR Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA41 Dated: 18th January 2002 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Located by supplier to within 10m	A8NW (SW)	487	3	442612 293286
18	Local Authority Pollution Prevention and Controls Name: Tesco Stores Ltd Location: Hawley Road, Hinckley Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: EPR - 4 Dated: 23rd July 2009 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Manually positioned to the address or location	A8NW (SW)	490	3	442610 293284
19	Local Authority Pollution Prevention and Controls Name: Hinckley Dry Cleaners Location: 32 Rugby Road, Hinckley, LE10 Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA43 Dated: 16th October 2006 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: Permitted Positional Accuracy: Located by supplier to within 10m	A12SE (W)	573	3	442338 293569
20	Local Authority Pollution Prevention and Controls Name: Coventry Road Service Station Location: 55 Coventry Road, HINCKLEY, Leicestershire, LE10 0JR Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA37 Dated: 28th May 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Authorisation certificate surrendered by operator Positional Accuracy: Manually positioned to the address or location	A12SE (W)	601	3	442295 293728
21	Local Authority Pollution Prevention and Controls Name: Research Garage Ltd Location: 58A London Road, HINCKLEY, Leicestershire, LE10 1HL Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA - 33 Dated: 15th December 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Manually positioned to the address or location	A14NW (E)	630	3	443593 293851

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	Local Authority Pollution Prevention and Controls Name: Display Associates Location: Hawley Road, HINCKLEY, Leicestershire, LE10 0PR Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: Epa35 Dated: 24th September 1997 Process Type: Local Authority Air Pollution Control Description: PG6/3 Chemical treatment of timber and wood-based products Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	A7NE (SW)	634	3	442494 293193
23	Local Authority Pollution Prevention and Controls Name: Texaco Service Station Location: Upper Bond Street, HINCKLEY, Leicestershire, LE10 1RJ Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA - 30 Dated: 24th July 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Located by supplier to within 10m	A18NW (N)	678	3	442700 294468
24	Local Authority Pollution Prevention and Controls Name: Transco Location: Shustoke Hinckley Operational Centre, Brick Kiln St Authority: North Warwickshire Borough Council, Environmental Health Department Permit Reference: Nwbc/B-34/05 Dated: 19th March 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/15 Odourising natural gas & liquified petroleum gas Status: Authorised Positional Accuracy: Manually positioned to the road within the address or location	A12SW (W)	701	4	442196 293735
25	Local Authority Pollution Prevention and Controls Name: Johnson Dry Cleaners Location: Rugby Road, Hinckley, LE10 Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA - 44 Dated: 16th October 2006 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: Permitted Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	725	3	442455 293107
26	Local Authority Pollution Prevention and Controls Name: Transco Bg Ltd Location: Brick Kiln Street, HINCKLEY, LE10 0NA Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA24 Dated: 20th July 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/15 Odourising natural gas & liquified petroleum gas Status: Authorised Positional Accuracy: Located by supplier to within 10m	A12SW (W)	752	3	442145 293737
26	Local Authority Pollution Prevention and Controls Name: Transco Location: Brick Kiln Street, Coventry Road, HINCKLEY, Leicestershire, LE10 0WA Authority: Blaby District Council, Environmental Health Department Permit Reference: NGBG/002/05/ARH Dated: 15th October 1997 Process Type: Local Authority Pollution Prevention and Control Description: PG1/15 Odourising natural gas & liquified petroleum gas Status: Permitted Positional Accuracy: Manually positioned to the road within the address or location	A12SW (W)	767	5	442130 293742
26	Local Authority Pollution Prevention and Controls Name: Transco Location: Austrey Hinckley Operational Centre, Brick Kiln Str Authority: North Warwickshire Borough Council, Environmental Health Department Permit Reference: Nwbc/B-32/05 Dated: 19th March 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/15 Odourising natural gas & liquified petroleum gas Status: Permitted Positional Accuracy: Manually positioned to the road within the address or location	A12SW (W)	769	4	442128 293742

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	Local Authority Pollution Prevention and Controls Name: Burbage Road Service Station Location: Burbage Road, Burbage, HINCKLEY, Leicestershire, LE10 2TP Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: PPCA - 32 Dated: 2nd October 2000 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Automatically positioned to the address	A14SE (E)	769	3	443744 293711
28	Local Authority Pollution Prevention and Controls Name: Brookfield Garage Location: Brookfield Road, HINCKLEY, Leicestershire, LE10 2LL Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: Epa24 Dated: 28th June 1994 Process Type: Local Authority Air Pollution Control Description: PG6/34 Respraying of road vehicles Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	A7NE (SW)	777	3	442360 293120
29	Local Authority Pollution Prevention and Controls Name: Burgess Architectural Location: P O Box 2, Brookfield Road, BURBAGE, Leicestershire, LE10 2LL Authority: Hinckley And Bosworth Borough Council, Environmental Health Department Permit Reference: Ppca19 Dated: 30th November 1993 Process Type: Local Authority Pollution Prevention and Control Description: PG6/23 Coating of metal and plastic Status: Authorised Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	955	3	442193 293037
30	Local Authority Pollution Prevention and Control Enforcements Location: Rugby Road, Hinckley Type: Air Pollution Control Enforcement Notice Reference: PPCA46 Date Issued: Not Supplied Enforcement Date: Not Supplied Details: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7SE (SW)	760	3	442488 293040
	Nearest Surface Water Feature	A13NW (N)	29	-	442899 293850
31	Pollution Incidents to Controlled Waters Property Type: Hospital Location: Hinckley District Hospital, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Oils - Diesel (Including Agricultural) Note: 50 Gallons Of Diesel Spilt During Delivery; No Adverse Effects Incident Date: 16th June 1997 Incident Reference: 2702670 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Not Given Cause of Incident: Overfilling During Delivery Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	3	2	442900 293800
32	Pollution Incidents to Controlled Waters Property Type: Textile industry Location: Hawley Road, Fludes, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Colour Note: None Affected; Coloured Discharge To Surface Water Sewer Incident Date: 16th November 1998 Incident Reference: 2705048 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Leaking Underground Pipe Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (W)	498	2	442400 293750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	Pollution Incidents to Controlled Waters Property Type: Textile industry Location: Sewage Water Drain At, Fludes Hosierey, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Crude Sewage Note: Softner Backwash Water And Shower Effluent To Surface Water Drain; No Adverse Effects Incident Date: 11th February 1998 Incident Reference: 2703979 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Wrong Connection Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	627	2	442405 293295
33	Pollution Incidents to Controlled Waters Property Type: Textile industry Location: Flude Hosierey, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Chemicals - Paints / Dyes Note: Effluent Tank Overflowing - Going To Drains; No Adverse Effects Incident Date: 14th November 1997 Incident Reference: 2703692 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Mechanical Failure Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	628	2	442400 293300
33	Pollution Incidents to Controlled Waters Property Type: Textile industry Location: Sw Manhole Down Stream Flude, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Colour Note: Sketchley Brook; Blue Colours; No Adverse Effect Incident Date: 24th October 1995 Incident Reference: 1700460 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Leaking Underground Pipe Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	630	2	442430 293260
33	Pollution Incidents to Controlled Waters Property Type: Textile industry Location: Surface Water Sewer At, Flude Hosierey, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Other Note: Hot Water In Surface Water Drain; No Adverse Effects Incident Date: 11th February 1998 Incident Reference: 2703891 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Wrong Connection Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	631	2	442400 293295
33	Pollution Incidents to Controlled Waters Property Type: Textile industry Location: Surface Water Sewer Down Stream, Flumes Hosierey, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Other Note: Elevated Temperature Possibly Leak/Wrong Connection; No Adverse Effects Incident Date: 28th January 1998 Incident Reference: 2703973 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Wrong Connection Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	644	2	442420 293250
33	Pollution Incidents to Controlled Waters Property Type: Textile industry Location: Down Stream Fluds, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Chemicals - Paints / Dyes Note: None Affected; Dye In Service Water Sewer D/S Fluds Incident Date: 13th October 1998 Incident Reference: 2704596 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Other Incident/Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	659	2	442400 293250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	Pollution Incidents to Controlled Waters Property Type: Oil Industry (Not Garages) Location: 94 Upper Bond Street, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Oils - Petrol Note: No Adverse Effects; Ground; Small Quantity Of Fuel From Texaco Fuel Station Incident Date: 11th November 1996 Incident Reference: 2701577 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Not Given Cause of Incident: Leaking Underground Pipe Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	745	2	442750 294550
35	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: Duport Road, Burbage, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Oils - Petrol Note: Unknown Quantity Of Petrol Washed Away; No Adverse Effects Incident Date: 30th September 1997 Incident Reference: 2702637 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Vandalism Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14SE (E)	847	2	443800 293500
35	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: Outside 9 Duport Road, Burbage, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Oils - Petrol Note: 60 Litres Petrol Spillage-Incident No. 12393; No Adverse Effects Incident Date: 1st October 1997 Incident Reference: 2702638 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Vandalism Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14SE (E)	848	2	443800 293495
36	Pollution Incidents to Controlled Waters Property Type: Contaminated Land Location: Gas Works Adjacent To, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Chemicals - Other Organic Note: Harrow Brook; Contaminated Drainage Suspected; No Adverse Effects Incident Date: 21st October 1997 Incident Reference: 2703163 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NW (W)	912	2	441990 293810
37	Pollution Incidents to Controlled Waters Property Type: Industrial: Other Location: Rugby Road, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Oils - Gas Oil Note: Sketchley Brook; Oil In Brook Incident Date: 7th May 1999 Incident Reference: 2705759 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Other Incident/Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A7SE (SW)	913	2	442350 292950
38	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Unknown Location: Sandy Crescent, /Bute Close, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Oils - Petrol Note: No Adverse Effects; Petrol Vapour In Sewer Incident Date: 8th December 1996 Incident Reference: 2001593 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Watercourse Cause of Incident: Other Incident/Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A17SW (NW)	962	2	442000 294150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Pollution Incidents to Controlled Waters Property Type: Domestic/Residential Location: Surface Water Sewer Outlet To Sketchley, HINCKLEY Authority: Environment Agency, Midlands Region Pollutant: Crude Sewage Note: Sketchley Reservoir; Analytical Result Indicate Poss Wrong Connections; Amenity Effected Incident Date: 9th September 1997 Incident Reference: 2703972 Catchment Area: Trent Catchment : Upper Anker To Confluence With Sence Receiving Water: Pond/Lake Cause of Incident: Wrong Connection Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	1000	2	442340 292850
40	Substantiated Pollution Incident Register Authority: Environment Agency - Midlands Region, East Area Incident Date: 22nd October 2009 Incident Reference: 727035 Water Impact: Category 4 - No Impact Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Asbestos Waste Pollutant: Specific Waste Materials: Contaminated Construction & Demolition Material & Waste	A12SE (W)	557	2	442339 293695
41	Water Abstractions Operator: Richard Roberts Holdings Ltd Licence Number: 03/28/19/0043 Permit Version: 100 Location: Richard Roberts Holdings Ltd - Trib Of Sketchley Brook Authority: Environment Agency, Midlands Region Abstraction: Textiles And Leather: Process Water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Richard Roberts Holdings Ltd, Southfield Rd Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 24th October 1978 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8NE (S)	391	2	443000 293300
42	Water Abstractions Operator: Hinckley Bowling Club Licence Number: 03/28/19/0027 Permit Version: 100 Location: Hinckley Bowling Club - Borehole Authority: Environment Agency, Midlands Region Abstraction: Sports Grounds/Facilities: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Bowling Green Rd, Hinckley Authorised Start: 01 May Authorised End: 30 September Permit Start Date: 4th January 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A19SW (NE)	583	2	443400 294200
43	Water Abstractions Operator: Johnson Textile Services Ltd Licence Number: 03/28/19/0042 Permit Version: 101 Location: Sketchley Ltd - Sketchley Brook Authority: Environment Agency, Midlands Region Abstraction: Industrial; Commercial And Public Services: Laundry Use Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sketchley Limited, Hinckley Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 22nd June 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	704	2	442500 293100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	Water Abstractions Operator: Sketchley Plc Licence Number: 03/28/19/0042 Permit Version: 100 Location: Sketchley Ltd - Sketchley Brook Authority: Environment Agency, Midlands Region Abstraction: Industrial; Commercial And Public Services: Laundry Use Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sketchley Limited, Hinckley Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 2nd February 1971 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	704	2	442500 293100
44	Water Abstractions Operator: Englobe Regeneration Uk Limited Licence Number: Md/028/0019/005/R01 Permit Version: 2 Location: Cbh123 Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 6th January 2022 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	770	2	442128 293655
44	Water Abstractions Operator: Celtic Technologies Limited Licence Number: Md/028/0019/005/R01 Permit Version: 1 Location: Cbh123 Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st April 2016 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	770	2	442128 293655
44	Water Abstractions Operator: Celtic Technologies Limited Licence Number: Md/028/0019/005 Permit Version: 1 Location: Cbh123 Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 28th May 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	770	2	442128 293655

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	Water Abstractions Operator: Englobe Regeneration Uk Limited Licence Number: Md/028/0019/005/R01 Permit Version: 2 Location: Cbh122 Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 6th January 2022 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	772	2	442126 293659
44	Water Abstractions Operator: Celtic Technologies Limited Licence Number: Md/028/0019/005/R01 Permit Version: 1 Location: Cbh122 Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st April 2016 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	772	2	442126 293659
44	Water Abstractions Operator: Celtic Technologies Limited Licence Number: Md/028/0019/005 Permit Version: 1 Location: Cbh122 Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 28th May 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	772	2	442126 293659
44	Water Abstractions Operator: Englobe Regeneration Uk Limited Licence Number: Md/028/0019/005/R01 Permit Version: 2 Location: Cbh121c Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 6th January 2022 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	778	2	442119 293666

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	Water Abstractions Operator: Celtic Technologies Limited Licence Number: Md/028/0019/005/R01 Permit Version: 1 Location: Cbh121c Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st April 2016 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	778	2	442119 293666
44	Water Abstractions Operator: Celtic Technologies Limited Licence Number: Md/028/0019/005 Permit Version: 1 Location: Cbh121c Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 28th May 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	778	2	442119 293666
44	Water Abstractions Operator: Englobe Regeneration Uk Limited Licence Number: Md/028/0019/005/R01 Permit Version: 2 Location: Cbh121b Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 6th January 2022 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	780	2	442117 293670
44	Water Abstractions Operator: Celtic Technologies Limited Licence Number: Md/028/0019/005/R01 Permit Version: 1 Location: Cbh121b Authority: Environment Agency, Midlands Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st April 2016 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	780	2	442117 293670