

|                                            |                               |                                                                                     |
|--------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|
| <b>Preece Consultants</b>                  |                               | <b>Page 1</b>                                                                       |
| 11 Hawthorn Drive<br>Towcester<br>NN12 7AE | Roseway<br>Stoke Golding      |  |
| Date 01.12.22<br>File 1716.SIM             | Designed By ndp<br>Checked By |                                                                                     |
| Micro Drainage                             | Simulation W.11.2             |                                                                                     |

#### Global Variables

|                                            |                       |
|--------------------------------------------|-----------------------|
| Region                                     | FSR - England & Wales |
| Return Period (yrs)                        | 100                   |
| M5-60 (mm)                                 | 19.000                |
| Ratio R                                    | 0.400                 |
| Volumetric Runoff Coef                     | 0.850                 |
| Profile Type                               | Winter                |
| PIMP (%)                                   | 100                   |
| Areal Reduction Factor                     | 1.000                 |
| Storm Duration (mins)                      | 15                    |
| Hot Start (mins)                           | 0                     |
| Hot Start Level (mm)                       | 0                     |
| Manhole Headloss Coefficient               | 0.500                 |
| MADD Factor * 10m <sup>3</sup> /ha Storage | 0.000                 |
| Foul Sewage/Hectare (l/s)                  | 0.00                  |
| Additional Flow - % of Total Flow          | 40                    |
| Number of Input Hydrographs                | 0                     |
| Number of Time/Area Diagrams               | 0                     |
| Number of Bifurcations                     | 0                     |
| Number of Overflows                        | 0                     |
| Number of Off-Line Controls                | 0                     |
| Number of On-Line Controls                 | 1                     |

Starting Storm file name

P:\DATA\1716.SWS

#### Freely Discharging Outfalls

| Outfall<br>Pipe Number | Outfall<br>MH/No | C.Level<br>(m) | I.Level<br>(m) | D,L<br>(mm) | B<br>(mm) |
|------------------------|------------------|----------------|----------------|-------------|-----------|
| 1.010                  | 1402             | 102.910        | 100.930        | 1200        | 0         |

**On-Line Controls (Head/Flow)**

| US/PN | Volume<br>(m <sup>3</sup> ) | Ctrl<br>MH Name | Invert<br>(m) | Headloss<br>(m) | Flow<br>(l/s) |
|-------|-----------------------------|-----------------|---------------|-----------------|---------------|
| 1.008 | 0.748                       | 12              | 104.450       | 0.1             | 5.6650        |
|       |                             |                 |               | 0.2             | 11.6810       |
|       |                             |                 |               | 0.3             | 12.2440       |
|       |                             |                 |               | 0.4             | 12.2510       |
|       |                             |                 |               | 0.5             | 12.0470       |
|       |                             |                 |               | 0.6             | 11.7150       |
|       |                             |                 |               | 0.7             | 11.0410       |
|       |                             |                 |               | 0.8             | 10.3670       |
|       |                             |                 |               | 0.9             | 10.9570       |
|       |                             |                 |               | 1.0             | 11.5130       |
|       |                             |                 |               | 1.2             | 12.5470       |
|       |                             |                 |               | 1.4             | 13.0310       |
|       |                             |                 |               | 1.6             | 13.0310       |
|       |                             |                 |               | 1.8             | 13.0310       |
|       |                             |                 |               | 2.0             | 13.0310       |
|       |                             |                 |               | 2.2             | 13.0310       |

**Storage Pond at pipe 1.007 USMH HW1**

**Storage Pond Invert Level (m) 104.510**

| Depth<br>(m) | Area<br>(m <sup>2</sup> ) | Depth<br>(m) | Area<br>(m <sup>2</sup> ) | Depth<br>(m) | Area<br>(m <sup>2</sup> ) | Depth<br>(m) | Area<br>(m <sup>2</sup> ) | Depth<br>(m) | Area<br>(m <sup>2</sup> ) | Depth<br>(m) | Area<br>(m <sup>2</sup> ) |
|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|
| 0.0          | 510.0                     | 0.5          | 660.0                     | 1.0          | 830.0                     | 1.5          | 1010.0                    | 2.0          | 0.0                       | 2.5          | 0.0                       |
| 0.1          | 535.0                     | 0.6          | 700.0                     | 1.1          | 865.0                     | 1.6          | 0.0                       | 2.1          | 0.0                       |              |                           |
| 0.2          | 565.0                     | 0.7          | 730.0                     | 1.2          | 900.0                     | 1.7          | 0.0                       | 2.2          | 0.0                       |              |                           |
| 0.3          | 600.0                     | 0.8          | 760.0                     | 1.3          | 935.0                     | 1.8          | 0.0                       | 2.3          | 0.0                       |              |                           |
| 0.4          | 630.0                     | 0.9          | 800.0                     | 1.4          | 975.0                     | 1.9          | 0.0                       | 2.4          | 0.0                       |              |                           |

|                                            |                               |                                                                                     |
|--------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|
| <b>Preece Consultants</b>                  |                               | <b>Page 4</b>                                                                       |
| 11 Hawthorn Drive<br>Towcester<br>NN12 7AE | Roseway<br>Stoke Golding      |  |
| Date 01.12.22<br>File 1716.SIM             | Designed By ndp<br>Checked By |                                                                                     |
| Micro Drainage                             | Simulation W.11.2             |                                                                                     |

#### Summary of Results

|                                    |                   |                         |                     |                   |                    |                    |          |
|------------------------------------|-------------------|-------------------------|---------------------|-------------------|--------------------|--------------------|----------|
| Return Period (years)              |                   |                         |                     | 100               | Analysis Time Step |                    | Fine     |
| Storm Duration (mins)              |                   |                         |                     | 15                | DTS Status         |                    | ON       |
| Profile Type                       |                   |                         |                     | Winter            | DVD Status         |                    | OFF      |
| Margin for Flood Risk warning (mm) |                   |                         |                     | 300               | Inertia Status     |                    | OFF      |
| PN                                 | Water Lev.<br>(m) | Surcharged<br>Depth (m) | Flooded<br>Vol (m³) | Flow/<br>Capacity | Overflow<br>(l/s)  | Pipe Flow<br>(l/s) | Status   |
| 1.000                              | 110.801           | 1.301                   | 11.185              | 1.72              | 0.0                | 136.8              | FLOOD    |
| 1.001                              | 110.791           | 1.431                   | 0.000               | 1.86              | 0.0                | 147.2              | FLD RISK |
| 1.002                              | 110.663           | 1.478                   | 0.000               | 1.60              | 0.0                | 182.6              | SURCH'ED |
| 1.003                              | 110.439           | 1.339                   | 0.000               | 2.00              | 0.0                | 333.0              | SURCH'ED |
| 2.000                              | 109.558           | 0.558                   | 0.000               | 0.96              | 0.0                | 61.2               | SURCH'ED |
| 2.001                              | 109.453           | 0.603                   | 0.000               | 1.83              | 0.0                | 118.7              | SURCH'ED |
| 1.004                              | 108.982           | 0.297                   | 0.000               | 0.82              | 0.0                | 487.6              | SURCH'ED |
| 1.005                              | 107.579           | 0.979                   | 0.000               | 0.83              | 0.0                | 556.2              | SURCH'ED |
| 3.000                              | 107.743           | 1.243                   | 2.995               | 1.50              | 0.0                | 63.2               | FLOOD    |
| 3.001                              | 107.393           | 1.193                   | 0.000               | 0.87              | 0.0                | 107.3              | FLD RISK |
| 1.006                              | 106.610           | 1.410                   | 0.000               | 3.89              | 0.0                | 693.1              | SURCH'ED |
| 1.007                              | 105.108           | -0.673                  | 0.000               | 0.02              | 0.0                | 82.4               | O K      |
| 1.008                              | 105.108           | 0.158                   | 0.000               | 0.17              | 0.0                | 28.4               | SURCH'ED |
| 1.009                              | 105.113           | 0.213                   | 0.000               | 0.04              | 0.0                | 12.2               | SURCH'ED |
| 1.010                              | 104.252           | -0.398                  | 0.000               | 0.03              | 0.0                | 24.5               | O K      |