


PROPOSED NEW GARAGE PLANS:



REAR ELEVATION



SIDE ELEVATION



Mapping contents © Crown copyright and database rights 2022 Ordnance Survey 100035207


LOCATION PLAN:




FRONT ELEVATION




SIDE ELEVATION



SECTION:



GROUND FLOOR PLAN



FIRST FLOOR PLAN

Soakaway pit to be dug below inlet level. Size to be 1200mm x 1200mm x 1200mm filled with 20mm pea gravel capped with a geotextile sheet above inlet level. Pit to be passed on site by LA Inspector all subject to soil type and conditions. Inspection Chamber to be fitted. A percolation test to be carried out and submitted to Building Control.

NOTE: THIS DRAWING IS TO BE READ INCONJUNCTION WITH ALL OTHER DRAWINGS (S ENGS , SITE SURVEY INFORMATION AND STANDARD SPECIFICATION) ANY ANOMALIES ENCOUNTERED ARE TO BE COMMUNICATED BACK TO THE ARCHITECT PENDING FURTHER INFORMATION.

ALL DIMENSIONS INDICATED ARE TO BE CHECKED ON SITE FOR ACCURACY - ANY DISCREPANCIES ARE TO BE COMMUNICATED BACK TO THE ARCHITECT PENDING FURTHER INFORMATION. THIS DRAWING IS PREPARED FOR PLANNING AND BUILDING REGULATIONS ONLY AND NOT A WORKING DRAWING.

project	Pear Tree Cottage Ratcliffe Road Witherley CV9 3NX		
drawing title	Garage Plans and Elevations		
project number	PTC/01	drawing number	PTC/01/06
drawing revision	scale	1:50 @ A1	
date	Feb 2023	drawn by	TJK checked by