

Jane Steel

From: jon golby <jon@golbyandluck.co.uk>
Sent: 15 May 2025 11:55
To: Matt Jedruch
Cc: Planning Folder New
Subject: RE: Objection - National Gas Transmission -LSBUD Reference Number: GW3_36060364

Hi Matt,

Just a follow up from your last emails.

The extended ecology works have been completed and I will be submitting as soon as they have come in.

I am updating the layout plan to remove the southern pond as per the most recent consultation from National Gas. There will be some knock on to things like BNG. Given we know the site (even without the southern pond) will secure a 10% net gain, do you want see the metric updated to reflect this change?

I am getting a fee in for the completion of the archaeological field work for Toby to review. I will let you know his decision once we have received the quote. I am assuming that we can still push this application forward with the field work being completed in the background?

Any queries please let me know.

Best Wishes

Jon

Jon Golby

BA Hons DipLA MA CMLI UDGRP

golby+luck ::
l a n d s c a p e a r c h i t e c t s

01530 265688
07768 996563
jon@golbyandluck.co.uk



Call me on Teams



This email (including any attachments) contains confidential information. If you are not the intended recipient please notify us immediately by replying to this email and delete this email from your system without reading, using, copying or disseminating it or placing any reliance upon its contents. Email is not a secure medium and we cannot accept liability for any breaches of confidence arising through use of email. Any opinions expressed in this email (including any attachments) are those of the author and do not necessarily reflect the views of GOLBY AND LUCK LTD. We will not accept responsibility for any commitments made by our employees outside the scope of our business. We do not warrant the accuracy or completeness of such information. Viruses: please note that we do not accept any liability for viruses and it is your responsibility to scan the attachments (if any) using suitable anti-virus software.

GOLBY AND LUCK LTD is a registered company in England and Wales (Registration no. 9037776). Registered Offices: 207 Leicester Road, Ibstock, Leicestershire, LE67 6HP. VAT registration no. 158705977.

From: Matt Jedruch <Matt.Jedruch@hinckley-bosworth.gov.uk>
Sent: 16 April 2025 10:15
To: jon golby <jon@golbyandluck.co.uk>
Cc: Planning Folder New <PlanningFolderNew@hinckley-bosworth.gov.uk>
Subject: FW: Objection - National Gas Transmission -LSBUD Reference Number: GW3_36060364

Hi Jon,

Please see the response below and attached from National Gas. Whilst the application is in outline (access only), the LPA would request a revised site plan to relocate the pond outside of the easement in line with NGs comments.

Many thanks,

Matt

Matt Jedruch (He/Him)

Senior Planning Officer

Tel: 01455 255809

Mob: 07721857007

Email: Matt.Jedruch@hinckley-bosworth.gov.uk

Web: www.hinckley-bosworth.gov.uk

Hinckley Hub, Rugby Road, Hinckley, Leics LE10
0FR

**Hinckley & Bosworth
Borough Council**

Sign up for our email updates: www.hinckley-bosworth.gov.uk/emailupdates



@Hinckandbos_bc



Hinckandbosbc



@Hinckandbosbc



From: noreply@salesforce.com <noreply@salesforce.com> **On Behalf Of** National Gas Asset Protection

Sent: 16 April 2025 10:10

To: Matt Jedruch <Matt.Jedruch@hinckley-bosworth.gov.uk>

Subject: Objection - National Gas Transmission -LSBUD Reference Number: GW3_36060364

Good morning, Matt,

The conclusion from the Quantitative Risk Assessment (QRA) indicates that the proposed development for Bosworth Lakeside Lodges is considered ALARP (As Low As Reasonably Practicable). Consequently, NGT is supportive of the risk assessment's findings, as both individual and societal risks at the site, factoring in the anticipated population growth from the new development, are deemed ALARP.

However, NGT will not support the lake / fishing pond located over FM04 pipeline shown on the plan within the QRA. This issue was addressed in the initial meeting, where it was agreed that the pond must be relocated outside the easement. The easement in this area measures 12.2 meters (6.1 meters on either side of the pipeline). This requirement is a condition of the holding objection, which will remain in place until NGT receives an updated site plan for review that clearly shows the easement remains unobstructed.

Thanks

Kind regards

Hayley White
Asset Protection Assistant

+44 (0)7543312793
hayley.white@nationalgas.com
box.assetprotection@nationalgas.com



National Gas Transmission, Warwick Technology Park, Gallows Hill, Warwick, CV34 6DA
nationalgas.com | [Twitter](#) | [LinkedIn](#)

Please consider the environment before printing this email.

This email and any files sent with it are confidential.

If this email isn't intended for you, please notify the sender immediately and then permanently delete it. You must not read, print, store, disclose, copy or take any other action in respect of this email.

We routinely monitor incoming and outgoing email messages to ensure they comply with Hinckley & Bosworth Borough Council's policy on the use of electronic communications.

The contents of emails may have to be disclosed to a request under the Data Protection Act 2018, Freedom of Information Act 2000 and/or the Environmental Information Regulations 2004.

The views expressed by the author may not necessarily reflect the views or policies of Hinckley & Bosworth Borough Council.

Attachments to email messages may contain viruses that may damage your system.

Whilst Hinckley & Bosworth Borough Council has taken every reasonable precaution to minimise this risk, we cannot accept any liability for any damage you suffer as a result.

You are advised to carry out your own virus checks before opening any attachment.

Save paper - only print this email if necessary.

Visit us online: www.hinckley-bosworth.gov.uk

Main office: Hinckley Hub, Rugby Road, Hinckley, Leics LE10 0FR. Main switchboard: 01455 238141