


Universal POCB Warm Roof Mech Fixed Ply/OSB

A flame free, POCB single ply waterproofing system supported by a 20 year guarantee intended as a robust, lightweight roofing solution

[← Back to your selection](#)

- ✓ Anthracite or light grey membrane colours
- ✓ Lightweight system solution
- ✓ Complimentary range of accessories
- ✓ Can be mechanically fixed or adhered



1. Netofol



[NETOFOL VAPOUR CONTROL LAYER](#)

Polyethylene grid reinforced AVCL

Others products

[REFLEX 275 VAPOUR CONTROL LAYER](#)

[MONOFILAMENT 250 VCL](#)

[MONOFILAMENT 250 VCL](#)

2. BS-4.8/70mm Carbon Steel Fastener



[ICOPAL BS-4.8 CARBON STEEL FASTENER](#)

Carbon steel fastener used to restrain multi layer components. Length to suit system build up.

3. R75/135mm Tube Washer



Polyamide tube washer used to restrain insulation. Length to suit system build up.

4. Thermazone Foilboard 160mm



[THERMAZONE FOILBOARD](#)

PIR insulation with foil facings. Thickness determined by project specific U-Value calculation.

5. BS-4.8/70mm Carbon Steel Fastener



[ICOPAL BS-4.8 CARBON STEEL FASTENER](#)

Carbon steel fastener used to restrain multi layer components. Length to suit system build up.

6. R50/135mm Tube Washer



[ICOPAL R50 MEMBRANE WASHER](#)

Polyamide tube washer used to restrain waterproofing membranes. Length to suit system build up.

7. Universal PO CB



[UNIVERSAL PO CB T4](#)

POCB based single ply membrane for mechanically fixed or adhered applications

About

[Technical characteristics](#)

BIM Attributes



Product Page
URL

<https://www.bmigroup.com/uk/s/universal-pocb-warm-roof-mech-fixed-ply-osb-3524060413>

Scoring Weight Attributes



Scoring Weight

30

System Description



System Type

Warm Roof

Technology	Synthetic
System Guarantee attributes ^	
Guarantee type	Product, Product & Workmanship, System
Maximum Guarantee Duration	Upto 20 years
System attributes ^	
Roof build-up	Mechanically Fixed
Technical system attributes ^	
Accreditations	SPRA
Installing Contractor Type	IMA & Team Icopal
Roof Type	Flat Roof
System Colour	Black
Uniclass reference	Ss_30_40_30_80