




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A



Order Details


Order Number: 392811784_1_1
Customer Ref: UK26.7708
National Grid Reference: 447680, 311130
Slice: A
Site Area (Ha): 2.42
Search Buffer (m): 1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EANRW Suitability Map - Slice A



Order Details

Order Number:	392811784_1_1
Customer Ref:	UK26.7708
National Grid Reference:	447680, 311130
Slice:	A
Site Area (Ha):	2.42
Search Buffer (m):	1000


Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 06-Jan-2026 Page 6 of 7



WFD Surface Waters Map

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

- Standard Contour
- Master Contour
- Spot Height
- Mean Low Water
- Mean High Water

WFD Surface Waters Map - Slice A



Order Details

Order Number: 392811784_1_1
Customer Ref: UK26.7708
National Grid Reference: 447680, 311130
Slice: A
Site Area (Ha): 2.42
Search Buffer (m): 1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

APPENDIX E

Geological Context



Alternative 20

Page 1872

LE GRAND ADCO LIMITED

SK/41SE/9

~~4792-1121~~

4794-1108

155

RECORD OF TEST BORING No. 253 at Enderby-Lockington.

For Sir Owen Williams & Ptnrs (Ministry of Transport)

O/No. 1941 Boring Completed on 26.6.61.

O.D. Level 609

Boring lined to a Depth of 10'7"

Diameter 7½"

BORING FOREMAN'S STRATA RECORD	THICKNESS		DEPTH		WATER OBSERVATIONS			
	Ft.	Ins.	Ft.	Ins.	Date	Time	W.S.	SWL
Loamy Top Soil	(0	30)	(0	30)				
	1	0	1	0				
Gravelly Clay & Boulders	(0	51)	(1	22)	26.6.	Noon	21'0"	7'6"
	3	0	4	0				
Gravelly Marl	(0	61)	(1	83)				
	2	0	6	0				
Sandy Clay & Gravel	(0	61)	(2	44)	26.6.	P.M.		7'6"
	2	0	8	0				
Boulders & Marl	(0	76)	(3	20)				
	2	6	10	6				
Brown Marl	(4	88)	(8	08)				
	16	0	26	6				
Small Rock Fragments & Brown Marl	(0	76)	(8	84)				
	2	6	29	0				
Red & Grey Marl	(0	15)	(9	30)				
	1	6	30	6				
TOTAL DEPTH	30	6						



Page 2 of 2

GEOLOGICAL SURVEY OF GREAT BRITAIN

RECORD OF SHAFT OR BORE FOR MINERALS

Name of Shaft or Bore given by Geological Survey:

(For Survey use only)
6-inch Map Registered No.

SK/41SE/9

Name and Number given by owner:

M1 Extension No. 253

Nat. Grid Reference

4794 1108

For whom made

Mr Owen Williams

Town or Village

Markfield

County

Leics.

Exact site

Attach a tracing from a map, or a sketch-map, if possible.

1° N.S. Map No.

155

1° O.S. Map No.

Confidential or not

Purpose for which made

trial hole

Ground Level at shaft bore relative to O.D.

If not ground level give O.D. of beginning of shaft bore

Made by

Date of sinking 1961

Information from

examination of samples

Date received

Examined by

A Horton

SPECIMEN NUMBERS AND ADDITIONAL NOTES

Boring Foreman's Remarks Brown Marl wet from 21' 0" B.S.

Signed

For LE GRAND ADSCO LIMITED

SK 41 SE/9

(For Survey use only) GEOLOGICAL CLASSIFICATION	DESCRIPTION OF STRATA	THICKNESS		DEPTH	
		FT	IN.	FT	IN.
Boulder Clay	Sample at				
	0' 6" Top soil	(0.15)			
	2' 0" yellow brown green mottled sandy pebbly clay	(2.61)			
	4' 0" reddish brown sandy gritty pebbly clay; large quartzite pebbles.	(1.22)			
	6' 6" yellow brown sandy pebbly clay	(1.98)			
	10' 6" ditto; abundant gyenite pebbles	(3.20)			
	11' 6" dull chocolate brown sandy pebbly clay	(3.51)			
	12' 6" ditto	(3.81)			
	16' 6" dull brown silty slightly sandy clay	(5.03)			
	21' 6" bright red brown very fine grained sandy clay	(6.55)			
	26' 6" yellow brown terraceous clay with frequent shaly pebbles	(8.08)			
	30' 6" firm red brown silty clay	(9.30)			



 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL						Site M1 WIDENING JCT 22-23 & JCT 25-28 - CONTRACT 1 PRELIMINARY GI		Borehole Number CP1027	
Boring Method Cable Percussion		Casing Diameter 150mm cased to 10.40m		Ground Level (mOD) 195.60		Client Highways Agency		Job Number WAL050092	
		Location 447943.2 E 311133.6 N		Dates 22/07/2005- 25/07/2005		Project Contractor Fugro Engineering Services		Sheet 1/2	
Depth (m)	Sample / Tests	Casing Depth (m)	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.50	D1			Groundwater was not apparent during boring(1) at 0.00m.		(1.20)	Inspection Pit		▽1
1.00	D2				194.40	1.20	Possible MADE GROUND. Soft to firm red brown slightly gravelly slightly sandy to sandy clay. Sand is fine to coarse. Gravel is subangular to rounded fine to medium of mixed lithologies including mudstone, granite and flint. Driller noted clay fill.		
1.20-1.60	U1			100 blows					
1.60-2.05	SPT N=16			4,6/4,3,4,5					
1.60	D2								
1.60-2.10	B3								
2.20-2.60	U4			100 blows					
2.60	D5								
2.70-3.15	SPT N=33			3,5/10,9,8,6					
2.70	D6								
2.70-3.20	B7								
3.20-3.65	U8			75 blows					
3.65	D9								
3.75-4.20	SPT N=34			4,5/6,8,10,10					
3.75	D10								
3.75-4.20	B11								
4.40-4.85	U12			45 blows					
4.85	D13								
4.95-5.40	SPT N=9			1,1/1,1,3,4		(7.70)			
4.95	D14								
4.95-5.50	B15								
6.00-6.35	U16			76 blows					
6.35	D17								
6.45-6.90	SPT N=28			3,10/8,8,7,5					
6.45	D18								
6.45-6.90	B19								
7.50-7.95	U20			46 blows					
7.95	D21								
8.05-8.50	SPT N=18			2,3/4,4,4,6					
8.05	D22								
8.05-8.50	B23								
8.90	D24				186.70	8.90	Firm to stiff red brown mottled grey slightly gravelly sandy CLAY. Sand is fine. Gravel is subangular to rounded fine of mixed lithologies including flint and mudstone.		
9.00-9.45	U25			60 blows					
9.45	D26								
9.55-10.00	SPT N=37			22/07/2005: DRY 4,5/7,9,10,11					
9.55	D27								
9.55-10.00	B28			22/07/2005:					
Remarks							Scale (approx) 1:50	Logged By GL	Figure No.



 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL							Site M1 WIDENING JCT 22-23 & JCT 25-28 - CONTRACT 1 PRELIMINARY GI		Borehole Number CP1027	
Boring Method Cable Percussion		Casing Diameter 150mm cased to 10.40m		Ground Level (mOD) 195.60		Client Highways Agency		Job Number WAL050092		
		Location 447943.2 E 311133.6 N		Dates 22/07/2005- 25/07/2005		Project Contractor Fugro Engineering Services		Sheet 2/2		
Depth (m)	Sample / Tests	Casing Depth (m)	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water	
10.50-10.90	U29			22/07/2005: 25/07/2005: 75 blows						
10.90 11.00-11.45 11.00 11.00-11.50	D30 SPT N=32 D31 B32			4,6/6,8,9,9		(5.60)				
12.00-12.45	U33			80 blows						
12.45 12.55-13.00 12.55 12.55-13.00	D34 SPT N=22 D35 B36			2,5/5,6,5,6						
13.50-13.95	U37			61 blows						
13.95 14.05-14.50 14.05 14.05-14.50	D38 SPT N=17 D39 B40			2,4/4,4,4,5	181.10	14.50	Complete at 15.00m			
				25/07/2005: DRY 25/07/2005:						
Remarks							Scale (approx) 1:50	Logged By GL	Figure No.	



Alternative version of SK/41SE/10.

Page 1 of 2

SK/41SE/10

LE GRAND ADSCO LIMITED

RECORD OF TEST BORING No. 254 at Edderby-Lockington

For Sir Owen Williams & Ptnrs. (Ministry of Transport)

O/No.1941 Boring Completed on 28.6.61.

O.D. Level 626

Boring lined to a Depth of 16' 7"

Diameter 7 1/4"

BORING FOREMAN'S STRATA RECORD	THICKNESS		DEPTH		WATER OBSERVATIONS			
	Ft.	Ins.	Ft.	Ins.	Date	Time	W.S.	SWL
Top Soil	(0 30) 1	0	0 30 1	0				
Brown Mottled Clay & Stones	(0 91) 3	0	4 22 4	0				
Red Marl & Rock Fragments	(0 61) 2	0	6 83 6	0			Nil	
Red Marl	(9 32) 24	0	30 14 30	0				
TOTAL DEPTH			30	0				

Page 2 of 2

GEOLOGICAL SURVEY OF GREAT BRITAIN
RECORD OF SHAFT OR BORE FOR MINERALS

(For Survey use only)

6-inch Map Registered No.

S.K/415E/10

Name of Shaft or Bore given by Geological Survey:

Name and Number given by owner:

254

For whom made Sir Owen Williams & Partners

Town or Village..... **County**.....

Exact site M. Extension Endsby
Lockington section

Attach a tracing from a map, or a sketch-map, if possible.

Nat. Grid Reference

4792. 1121

**1" N.S. Map
No.**

1° O.S. Map
No.

Confidential
or not

155

Purpose for which made.

Ground Level at shaft
bore relative to O.D. 626 ft.

If not ground level give O.D. of beginning of shaft bore

Made by.

Date of sinking.

Information from

Date received

Examined by.

SPECIMEN NUMBERS AND ADDITIONAL NOTES

[illegible]

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	LSGR	Landscaped Ground (Undivided)	Artificially Modified Ground	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	ODT	Oadby Member	Diamicton	Not Supplied - Anglian
	GFDMP	Glaciofluvial Deposits, Mid Pleistocene	Sand and Gravel	Not Supplied - Cromerian
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	EDW	Edwalton Member	Mudstone	Not Supplied - Carnian
	COT	Cotgrave Sandstone Member	Sandstone	Not Supplied - Carnian
	GUN	Gunthorpe Member	Mudstone	Not Supplied - Anisian
	SWSL	Swithland Formation	Mudstone	Not Supplied - Comley
	CBMT	Bradgate Formation	Volcaniclastic-siltstone	Not Supplied - Ediacaran
	SCHD	South Charnwood Diorites	Diorite	Not Supplied - Ediacaran
	CMBH	Beacon Hill Formation	Volcaniclastic-siltstone	Not Supplied - Ediacaran
	CMSS	Sliding Stone Slump Breccia Member	Volcaniclastic-breccia	Not Supplied - Ediacaran
	CMPB	Park Breccia	Volcaniclastic-breccia	Not Supplied - Ediacaran
	BLK	Blackbrook Reservoir Formation	Volcaniclastic Rocks (Both Pyroclastic &	Not Supplied - Ediacaran

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CMBA	Benscliffe Breccia Member	Volcaniclastic-breccia	Not Supplied - Ediacaran
	NCHD	North Charnwood Diorite	Diorite	Not Supplied - Ediacaran
	BDBR	Bardon Breccia	Andesitic-Rock	Not Supplied - Ediacaran
		Faults		



Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	155
Map Name:	Coalville
Map Date:	2010
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice A



Order Details:


Order Number:	392811784_1_1
Customer Reference:	UK26.7708
National Grid Reference:	447680, 311130
Slice:	A
Site Area (Ha):	2.42
Search Buffer (m):	1000

Site Details:

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445



Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A



Order Details:

Order Number: 392811784_1_1
 Customer Reference: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details:


Markfield Services, Little Shaw Lane, Markfield, LE67 9PP

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

v15.0 06-Jan-2026

Page 2 of 5



© Crown copyright and database rights 2026 OS AC0000813445




Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A



Order Details:


Order Number: 392811784_1_1
 Customer Reference: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details:

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445



Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A



Order Details:


Order Number: 392811784_1_1
 Customer Reference: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details:

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445



Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice A



Order Details:

Order Number: 392811784_1_1
Customer Reference: UK26.7708
National Grid Reference: 447680, 311130
Slice: A
Site Area (Ha): 2.42
Search Buffer (m): 1000

Site Details:


Markfield Services, Little Shaw Lane, Markfield, LE67 9PP




Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

APPENDIX F

Groundwater Vulnerability & Flood Risk Maps





© Crown copyright and database rights 2020 OS AC0000613445



Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 392811784_1_1
 Customer Ref: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 392811784_1_1
 Customer Ref: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2020 OS AC0000613445



Source Protection Zones


General

- ◆ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- ▨ Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- ▨ Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- ▨ Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 392811784_1_1
 Customer Ref: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 392811784_1_1
 Customer Ref: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2020 OS AC0000613445



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 392811784_1_1
 Customer Ref: UK26.7708
 National Grid Reference: 447680, 311130
 Slice: A
 Site Area (Ha): 2.42
 Search Buffer (m): 1000

Site Details


Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

APPENDIX G

Selection of Historic Maps




Leicestershire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 392811784_1_1
Customer Ref: UK26.7708
National Grid Reference: 447680, 311130
Slice: A
Site Area (Ha): 2.42
Search Buffer (m): 1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Leicestershire

Published 1903


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

024NW
1903
1:10,560
024SW
1903
1:10,560

Historical Map - Slice A



Order Details


Order Number:	392811784_1_1
Customer Ref:	UK26.7708
National Grid Reference:	447680, 311130
Slice:	A
Site Area (Ha):	2.42
Search Buffer (m):	1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Leicestershire

Published 1930 - 1931


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

024NW
1931
1:10,560
024SW
1930
1:10,560

Historical Map - Slice A



Order Details

Order Number:	392811784_1_1
Customer Ref:	UK26.7708
National Grid Reference:	447680, 311130
Slice:	A
Site Area (Ha):	2.42
Search Buffer (m):	1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Ordnance Survey Plan

Published 1968



Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK41SE	1968
1:10,560	
SK40NE	1968
1:10,560	

Historical Map - Slice A



Order Details

Order Number:	392811784_1_1
Customer Ref:	UK26.7708
National Grid Reference:	447680, 311130
Slice:	A
Site Area (Ha):	2.42
Search Buffer (m):	1000

Site Details

Markfield Services, Little Shaw Lane, Markfield, LE67 9PP



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk