

Hinckley & Bosworth Borough Council

Town and Country Planning Act 1990

Planning Permission

Name and Address of Applicant

HORIBA Mira Ltd
C/o Agent
7 Soho Square
London
W1D 3QB
United Kingdom

Name and Address of Agent (if any)

Daniella Marrocco
Stantec
7 Soho Square
London
W1D 3QB
United Kingdom

Part I - Particulars of Application

Date of Application

15 March 2024

Application No.

24/00251/CONDIT

Particulars and location of development :

Removal of condition 6 (management of surface water) and 7 (Long term maintenance drainage) for planning permission 23/00303/FUL

Horiba Mira Ltd Mira Drive Lindley Nuneaton Leicestershire

Part II - Particulars of decision

In dealing with the application, through ongoing negotiation the local planning authority have worked with the applicant in a positive and proactive manner by offering a pre-application advice service and by seeking solutions to problems arising in relation to dealing with the planning application and this has resulted in the approval of the application. The Local Planning Authority has therefore acted pro-actively to secure a sustainable form of development in line with the requirements of the National Planning Policy Framework (paragraph 38) and in accordance with the Town and Country Planning (Development Management Procedure) (England) Order 2015 (as amended).

In pursuance of its powers under the Town and Country Planning Act 1990, the Hinckley and Bosworth Borough Council grants permission for the carrying out of the development referred to in Part I hereof in accordance with the application form and plans submitted, subject to the following conditions :-

1. The development hereby permitted shall not be carried out otherwise than in complete accordance with the submitted application details, as follows:

- Proposed Site Location Plan - Project No. 2023-001-FE - Dwg. No. 2023-001-FE-SK-02 (Received 08/09/23)
- Proposed Site Plan - Project No. 2023-001-FE - Dwg. No. 2023-001-FE-SK-01
- Proposed Elevations - Project No. 2023-001-FE, Dwg. No. 1228475/SK/02
- Proposed ground floor plan - Project No. 2023-001-FE, Dwg. No. 1228475/SK/01

Reason: To ensure a satisfactory appearance and impact of the development to accord with Policy DM10 of the adopted Site Allocations and Development Management Policies DPD.

2. The materials to be used on the external elevations of the proposed building shall accord with the approved elevations drawing (Dwg. No. 1228475/SK/02) and details on the application particulars.

Reason: To ensure that the development has a satisfactory external appearance to accord with Policy

IMPORTANT - PLEASE READ THE NOTES AT THE END OF THIS DOCUMENT

DM10 of the adopted Site Allocations and Development Management Policies Development Plan Document.

3. The demolition/development shall be carried out in accordance with the programme of archaeological work approved under application 23/01004/DISCON. On completion of the archaeological work a post-investigation assessment and subsequent analysis, publication & dissemination and deposition of resulting material shall be submitted to and approved in writing by the Local Planning Authority. This part of the condition shall not be discharged until these elements have been fulfilled in accordance with the programme set out in the WSI.

Reason: To ensure satisfactory archaeological investigation, recording, dissemination and archiving in accordance with Policies DM11, DM12 and DM13 of the Site Allocations and Development Management Policies Development Plan Document.

4. The development must be carried out in accordance with these approved details in relation to flood risk and drainage (Flood Risk and SuDS Strategy, JMS Group - project reference: CO23/0129/02) and completed prior to first occupation.

Reason: To prevent flooding by ensuring the satisfactory storage and disposal of surface water from the site in accordance with Policy DM7 of the adopted Site Allocations and Development Management Policies Development Plan Document

5. The development hereby permitted shall be carried out in strict accordance with the recommendations outlined in the submitted Ecological Walkover Survey (Middlemarch, received 28th March 2023). The mitigation and enhancement measures shall be thereafter maintained in perpetuity.

Reason: To ensure the protection of species and their habitats in accordance with Policies DM6 and DM10 of the adopted Site Allocations and Development Management Policies Development Plan Document (2016).

NOTES TO APPLICANT :-

1. The approved development may require Building Regulations Approval, for further information please contact the Building Control team via e-mail at building.control@blaby.gov.uk or call 0116 272 7533.
2. The Written Scheme of Investigation (WSI) must be prepared by an archaeological contractor acceptable to the Planning Authority. To demonstrate that the implementation of this written scheme of investigation has been secured the applicant must provide a signed contract or similar legal agreement between themselves and their approved archaeological contractor.
3. Details of the surface water Maintenance Plan should include for routine maintenance, remedial actions and monitoring of the separate elements of the surface water drainage system. For commercial properties (where relevant), this should also include procedures that must be implemented in the event of pollution incidents.
4. The scheme shall include the utilisation of holding sustainable drainage techniques with the incorporation of sufficient treatment trains to maintain or improve the existing water quality; the limitation of surface water run-off to equivalent greenfield rates; the ability to accommodate surface water run-off on-site up to the critical 1 in 100 year return period event plus an appropriate allowance for climate change, based upon the submission of drainage calculations. Full details for the drainage proposal should be supplied including, but not limited to; construction details, cross sections, long sections, headwall details, pipe protection details (e.g. trash screens), and full modelled scenarios for event durations up to the 24 hour (or longer where required) for the 1 in 1 year, 1 in 30 year and 1 in 100 year plus climate change return periods with results ideally showing critical details only for each return period.
5. Details should demonstrate how surface water will be managed on site to prevent an increase in flood risk during the various construction stages of development from initial site works through to completion. This shall include temporary attenuation, additional treatment, controls, maintenance and protection. Details regarding the protection of any proposed infiltration areas should also be provided.
6. In accordance with best practice guidance relating to lighting and biodiversity (Miles et al, 20183 ; Gunnell et al, 20124), any new or temporary lighting should be carefully designed to minimise potential disturbance and fragmentation impacts on sensitive receptors, such as bat species. Examples of good practice include: - Avoiding the installation of new lighting in proximity to key

ecological features, such as hedgerows.

- Using modern LED fittings rather than metal halide or sodium fittings, as modern LEDs emit negligible UV radiation.
- The use of directional lighting to reduce light spill, e.g. by installing bespoke fittings or using hoods or shields. For example, downlighting can be used to illuminate features such as footpaths whilst reducing the horizontal and vertical spill of light.
- Where the use of bollard lighting is proposed, columns should be designed to reduce horizontal light spill.
- Implementing controls to ensure lighting is only active when needed, e.g. the use of timers or motion sensors.
- Use of floor surface materials with low reflective quality. This will ensure that bats using the site and surrounding area are not affected by reflected illumination.

C. Brown.

Christopher Brown MRTPI
Head of Planning

Date : 9 May 2024

NOTES

1. It will be most helpful if the application number shown overleaf is quoted in all correspondence.
2. If you consider that this decision has been made invalidly through the Council failing to follow a procedure correctly, not having the legal power to make the decision in the way it did or through its decision being so unreasonable as no reasonable local authority would make the same decision based on the same facts, then you may enter a claim for judicial review to quash the decision. In order to proceed with a claim for judicial review an initial application for permission will need to be made to the Administrative Court, this application is required to be made "promptly and in any event within three months of the decision". The initial permission application will decide if you have an arguable case, whether you are sufficiently materially affected by the decision to bring the claim. If you are granted permission to bring the claim it will proceed to a full hearing at the Administrative Court. Although there is no requirement for you to do so it is highly recommended that you seek independent legal advice before bringing forward a claim for Judicial Review.
3. If you are aggrieved by the decision of the Local Planning Authority to grant permission subject to conditions, you may appeal to the Secretary of State for the Environment in accordance with Section 78 of the Town and Country Planning Act 1990 within six months (see para 2a below) of the date of this notice. (Appeals must be made on a form which is obtainable from the Planning Inspectorate, Temple Quay House, 2 The Square, Temple Quay, Bristol, BS1 6PN, tel. 0303 444 5000 or online at <https://www.gov.uk/appeal-planning-decision>). You must use a Planning Appeal Form when making your appeal. If requesting forms from the Planning Inspectorate, please state the appeal form you require. The Secretary of State has power to allow a longer period for the giving of a notice of appeal but he will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State is not required to entertain an appeal if it appears to him that the permission for the proposed development could not have been granted by the Local Planning Authority, or could not have been so granted otherwise than subject to the conditions imposed by them, having regard to the statutory requirements as set out in Section 78 of the Town and Country Planning Act 1990, to the provisions of the development order, and to the directions given under the order. He does not in practice refuse to entertain appeals solely because the decision by the Local Planning Authority was based on a direction given by him. Appeals- new time rules. Appeals relating to applications made to the Local Planning Authority on, or after, 5th September 2003 must be made within six months of the date of this notice.
4. If an enforcement notice is served relating to the same or substantially the same land and development as in your application and if you want to appeal against your local planning authority's decision on your application then, you must do so in accordance with the guidance found using the following link <https://www.gov.uk/appeal-enforcement-notice>.
5. If permission to develop land is granted subject to conditions, whether by the Local Planning Authority or by the Secretary of State for the Environment, and the owner of the land claims that the land has become incapable of reasonably beneficial use in its existing state and cannot be rendered capable of reasonably beneficial use by the carrying out of any development which has been or would be permitted, he may serve on the Council a purchase notice requiring that Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.
6. In certain circumstances, a claim may be made against the Local Planning Authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to him. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.
7. This permission covers only consent under the Town and Country Planning Acts and does not give permission to demolish a Listed Building, for which separate consent is required. Amongst other things the consent of the Council of the district in which the land is situated may be required under the Building Regulations and if the proposals affect land within the limits of the highway (that is between the highway fences or hedges) the separate consent of the Highway Authority may also be required. Steps to obtain the necessary further consents should be taken before proceeding with the development.

SHOPS, OFFICES, FACTORIES, EDUCATIONAL BUILDINGS & BUILDINGS TO WHICH THE PUBLIC ARE TO BE ADMITTED : ACCESS AND PROVISION FOR THE DISABLED PERSONS

1. The Local Planning Authority is required to bring to your attention the requirements of the Disabled Persons 1981, Building Regulations 1991 "Access and facilities for Disabled People" document M and the Chronically Sick & Disabled Act 1970 (as amended 1976) (Sections 4.7.8 and 8A) requiring the provision of access facilities, car parking and toilets for the disabled and the provision of signing indicating what provision has been made for disabled persons within the building. Your attention is also drawn to the Code of Practice B.S 5619 "Design of Housing for the convenience of Disabled People", 1978 and Code of Practice, B.S. 5810 : 1979, "Access for the Disabled to buildings" available from the British Standards Institution, 2 Park Street, London W1A 2BS. (Tel 071-629-9000) and (in so far as educational buildings are concerned), to Design Note 18 "Access for the Physically Disabled to Educational Buildings."
2. The buildings to which these requirements apply are :-
 - a) Buildings to which the public are to be admitted to which Section 4 of the Chronically Sick & Disabled Act 1970 (as amended 1976) applies.
 - b) Offices, Shops & Railway Premises as defined in the Offices, Shops & Railway Premises Act 1963 or premises deemed to fall within the Act.
 - c) Factories as defined by Section 175 of the Factories Act 1961.
Educational Buildings as defined by Section 29B of the Disabled Persons Act 1981.



Hinckley & Bosworth
Borough Council

Start Notice

Important Information – Please keep this with your decision notice

Please read the above decision notice carefully and ensure that you understand and comply with the requirements of any planning conditions imposed.

If you require any further information about why a particular planning condition has been imposed or in respect of what information is needed to discharge your condition please contact the case officer who will be happy to advise of the requirements and information required.

We carry out a programme of site monitoring to check compliance with conditions in order to proactively manage the development and to ensure development is carried out in accordance with the planning permission granted.

Please ensure that any application for the discharge of pre-commencement conditions are carried out in a timely manner as this may take up to 8 weeks depending on the requirements of the condition. Please also be aware there is a charge to discharge conditions per request which means you can discharge conditions individually or group details together as a single request to discharge multiple planning conditions. The fee for discharging these pre-commencement conditions, can be found on the [planning portal](#).

We would be grateful if you could email the development address and application reference number with your contact details and the intended start date by email to planning@hinckley-bosworth.gov.uk or complete the form on the reverse.

Hinckley & Bosworth Borough Council
Hinckley Hub, Rugby Road, Hinckley, Leicestershire, LE10 0FR
TEL: 01455 238141 EMAIL: planning@hinckley-bosworth.gov.uk



Hinckley & Bosworth
Borough Council

Development Details

Planning application ref:	24/00251/CONDIT
Proposal:	Removal of condition 6 (management of surface water) and 7 (Long term maintenance drainage) for planning permission 23/00303/FUL
Site Location:	Horiba Mira Ltd Mira Drive Lindley Nuneaton Leicestershire

Date when work is intended to start:	
Have all pre-commencement conditions been discharged?	
Signed:	Print Name:

Your contact details (or attach letterhead/business card):

Name:	
Address:	
Telephone:	
Mobile:	
Email:	

Hinckley & Bosworth Borough Council
Hinckley Hub, Rugby Road, Hinckley, Leicestershire, LE10 0FR
TEL: 01455 238141 EMAIL: planning@hinckley-bosworth.gov.uk