




Item	Building	Sample Requirement	Specification	Colour Sample	Profile Sample	Accessories	Drawing Ref	Delivery Ownership
Brickwork Type 1 (Above DPC)	NSCC Residential Orangutan		Canterbury cost-effective alternative to the Arundel with a similar appearance Sample is available on site					Contractor
Brickwork Type 2 (Above DPC)	NSCC Residential Orangutan		Paxton Light Buff					Contractor
Curtain Walling - Generally Inclusive of doors, windows, louvres and spandrel panels hosted in CW system	NSCC Residential		Polyester Powder Coated Schueco Curtain Walling System					Contractor
Curtain Walling - NSCC Glazed Link Inclusive of doors, windows, louvres and spandrel panels hosted in CW system	NSCC		Polyester Powder Coated Schueco Curtain Walling System					Contractor
Curtain Walling - Specialist	NSCC Lecture Theatre - Facing Orangutan Outdoor Habitat		Polyester Powder Specialist Steel Curtain Walling System					Contrcator

Windows and Louvres	All		Polyester Powder Cpated Schueco UK Limited Window Systems. AWS 90 SI (Generally), AWS 90 SI NSHEVS (Automatic opening window), AWS 65 FR30 open-in (within glazed link Curtain Walling)	RAL 040 40 40				Contractor
External doors (Generally)	All		Polyester Power Coated Schueco Aluminium Door System. Product: ASE 80	RAL 040 40 40				Contractor
External doors (Animal Specialist Doors)	Orangutan Habitat		Specialist Galvanised Finish door to Zoo rquirements					Contractor
External Animal Sliding Hatches	Orangutan Habitat		Specialist Galvanised Finish door to Zoo rquirements					Contractor / Client
Roof cladding & Rooflights	Orang	Datasheet of proposed, profile and colour sample.	Kinspan XL Forte	Copper Beech* RAL 040 40 40 BS 04C39				Contractor
Roof tile	NSCC Residential	Datasheet of proposed, profile and colour sample.	FPMcCann	 Terracotta				Contractor
Exposed Rainwater Goods Gutter and Hoppers - NSCC Residential - Heritage Style Orangutan (size subject to supplier rainwater cailcaltion, Aluminium, Downpipes - Square, Aluminium, . Orangutan RWPs in outdoor habitat spaces to include 4m high steel anti-climb shroud (spec tbc).	All		RAL 040 40 40					Contractor

Railings	NSCC (Glazed Link) Orangutan Habitat (Julieete Balcony and External Plant)		Paint Finish				Contractor
Feature Bat Boxes	Residential Building		Integrated Eco Bat Box Nest Box Co	Red Brick			Contractor
S2 - Permeable Block Paving to	Car Park & Loading Bays		Tobermore Product: Hydropave Tegula Permeable Block Paving	Bracken Herringbone Bond , Orientation: 45°			Contractor
S3 - Large Block Paving	Front and rear entrances of proposed NSCC building		Tobermore Product: Artro Linear Plank Block Paving	Slate Stack Bond			Contractor
S4 - Small Block Paving	Front and rear of proposed NSCC Building.		Tobermore Product: Artro Linear Plank Block Paving	Slate Herringbone Bond			Contractor
S5 - Self Binding Gravel	Footpathways around the building and linking to pthe Zoo		Breedon Special Aggregates Product: Crushed /graded hard limestone				Contractor